

Discussion and comments on “Filtering of the gravimetric anomalies to the study of the geological structures of Oued Zarga (Septentrional Tunisia): structural implications”, Arab J Geosci (2012) 5:169–180 by A. Ayed, M. Ghanmi and F. Zargouni

Djamel Boubaya · Karim Allek · Mohamed Hamoudi

Received: 6 March 2012 / Accepted: 3 April 2012 / Published online: 17 April 2012
© Saudi Society for Geosciences 2012

We read with great interest the paper of Ayed, Ghanmi and Zargouni (2012; hereafter referred to as AGZ), because of the vicinity of their study area to northeastern Algeria. AGZ did good work in their case study; however, we have some comments regarding some points stated in their paper.

The first point in AGZ is their Figure 9. The descriptions of the 2.5D forward modelling relative to Figure 9 of AGZ are wrong. According to AGZ, the anomaly is negative and matches well the observed anomaly; however, we can clearly see that the anomaly presented in their figure is positive. AGZ did not show the location of the modelled profile on their

residual or the Bouguer maps to facilitate whether the anomaly is positive or negative.

The second point in AGZ is the mean density of the Triassic evaporites used in gravity modelling. It seems that there is a controversy among Tunisian researchers relative to the mean density of Triassic diapirs. AGZ and Hamdi-Nasr et al. (2009) used a mean density $\rho=2.51$ g/cm³, Amiri et al. (2011) used a mean density $\rho=2.58$ g/cm³ whereas Jallouli et al. (2005), Benassi et al. (2006) and Tanfous et al. (2010) used a mean density $\rho=2.27$ g/cm³.

The use of a high mean density (2.51 or 2.58 g/cm³) for the Triassic evaporites is probably done to explain the positive anomalies observed over some diapiric structures in Tunisia. It should be noted that Benassi et al. (2006) have elegantly explained and modelled in the case of Jebel El Mourra, a diapiric structure causing a positive gravimetric anomaly with a mean density $\rho=2.27$ g/cm³. Tanfous et al. (2010) also modelled the positive gravimetric anomaly over the Jebel Es Souda-Hmaeima structure with a mean density $\rho=2.27$ g/cm³ using seismic reflexion constraints.

The mean density $\rho=2.27$ g/cm³ for Tunisian Triassic diapirs is very close to their northeastern Algerian counterparts. From 27 samples over northeastern Algeria, the density varies between a minimum of 2.1 g/cm³ and a maximum of 2.5 g/cm³ with a mean value $\rho=2.33$ g/cm³ (Boubaya et al. 2012).

D. Boubaya (✉)
Faculté des sciences Exactes et des Sciences de la Nature et de la Vie, Université de Tébessa,
Route de Constantine,
Tébessa 12000, Algeria
e-mail: boubaya_d@yahoo.com

K. Allek
Département de Géophysique, Université de Boumerdès,
Boumerdès 35000, Algeria

M. Hamoudi
Laboratoire de Géophysique, USTHB,
B.P. 32, El Alia, Dar el Beida,
Algiers 16111, Algeria

References

- Amiri A, Chaqui A, Hamdi Nasr I, Inoubli MH, Ben Ayed N, Tlig S (2011) Role of preexisting faults in the geodynamic evolution of Northern Tunisia, insights from gravity data from the Medjerda valley. *Tectonophysics* 506:1–10
- Ayed A, Ghanmi M, Zargouni F (2012) Filtering of the gravimetric anomalies to the study of the geological structures of Oued Zarga (Septentrional Tunisia). *Arab J Geosci* 5:169–180
- Benassi R, Jallouli C, Hammami M, Turki MM (2006) The structure of Jebel El Mourra, Tunisia: a diapiric structure causing a positive gravity anomaly. *Terra Nova* 18:432–439
- Boubaya D, Rouabhia A, Fehdi C, Allek K and Hamoudi M (2012) On the origin of the aeromagnetic anomaly of El Kala region northeast of Algeria, *J. Hydrocarb. Mines Environ. Res* (in press) http://jhmer.univ-rennes1.fr/Vol2/Vol2-2/8-%20jhmer-Boubaya%20et%20al.%2002-2012.htm#online_v2-2-08-2012
- Hamdi-Nasr I, Inoubli MH, Ben Salem A, Tlig S, Mansouri A (2009) Gravity contributions to the understanding of salt tectonics from the Jebel Cheid area (dome zone, Northern Tunisia). *Geophys Prospect* 57:719–728
- Jallouli C, Chikhaoui M, Braham A, Turki M, Ma, Mickus K, Benassi R (2005) Evidence for Triassic salt domes in the Tunisian Atlas from gravity and geological data. *Tectonophysics* 396:209–225
- Tanfous D, Gabtni H, Azaiez H, Soussi M, Bedir M (2010) Integrated gravity and seismic investigations over the Jebel Es Souda-Hmaeima structure: implication for basement configuration of the eastern frontal fold-and-thrust belt of Tunisian Atlasic Mountains. *Arab J Geosci*. doi:10.1007/s12517-010-0240-0