

Received January 24, 2021, accepted February 28, 2021, date of publication March 19, 2021, date of current version April 6, 2021.

Digital Object Identifier 10.1109/ACCESS.2021.3067597

Grasshopper Optimization Algorithm: Theory, Variants, and Applications

YASSINE MERAIHI¹, ASMA BENMESSAOUD GABIS²,
SEYEDALI MIRJALILI^{3,4}, (Senior Member, IEEE), AND AMAR RAMDANE-CHERIF⁵

¹Laboratoire LIST, Université M'Hamed Bougara Boumerdes, 35000 Boumerdes, Algeria

²Laboratoire de Méthodes de Conception de Systèmes, Ecole Nationale Supérieure d'Informatique, 16309 Algiers, Algeria

³Centre for Artificial Intelligence Research and Optimisation, Torrens University Australia, Brisbane, QLD 4006, Australia

⁴Yonsei Frontier Laboratory (YFL), Yonsei University, Seoul 03722, South Korea

⁵LISV Laboratory, University of Versailles St-Quentin-en-Yvelines, 78140 Velizy, France

Corresponding author: Yassine Meraihi (y.meraihi@univ-boumerdes.dz)

ABSTRACT Grasshopper Optimization Algorithm (GOA) is a recent swarm intelligence algorithm inspired by the foraging and swarming behavior of grasshoppers in nature. The GOA algorithm has been successfully applied to solve various optimization problems in several domains and demonstrated its merits in the literature. This paper proposes a comprehensive review of GOA based on more than 120 scientific articles published by leading publishers: IEEE, Springer, Elsevier, IET, Hindawi, and others. It provides the GOA variants, including multi-objective and hybrid variants. It also discusses the main applications of GOA in various fields such as scheduling, economic dispatch, feature selection, load frequency control, distributed generation, wind energy system, and other engineering problems. Finally, the paper provides some possible future research directions in this area.

INDEX TERMS Grasshopper optimization algorithm, GOA, meta-heuristics, optimization, population-based algorithm, swarm intelligence.

I. INTRODUCTION

In the last three decades, the area of optimization using meta-heuristics has gained increasing interest from academics and researchers, so several meta-heuristics are being proposed regularly for solving complex and real-world problems in different fields such as engineering, computer, medical, economics, etc. Meta-heuristics are divided into two major categories: single-based and population-based algorithms as shown in Figure 1.

The main principle of single-based meta-heuristic algorithms, also called trajectory algorithms, is the generation of single solution at each run. This solution is enhanced using the neighborhood mechanism. Some of the popular single-based meta-heuristics are: Simulated Annealing (SA) [1], Guided Local Search (GLS) [2], Tabu Search (TS), Variable Neighborhood Search (VNS) [3], Iterated Local Search (ILS) [4], Stochastic Local Search (SLS) [5], and [6], [7] Greedy Randomized Adaptive Search Procedure (GRASP) [8]–[10].

The associate editor coordinating the review of this manuscript and approving it for publication was Amjad Anvari-Moghaddam¹⁰.

Unlike single-based meta-heuristic algorithms, population-based meta-heuristic algorithms generate a set of multiples solutions (population) at each run. The class of population-based meta-heuristics can be classified into four main categories: evolutionary-based, swarm intelligence-based, event-based, and physics-based.

The first category of population-based algorithms is Evolutionary Algorithms (EA) which is inspired from the evolutionary phenomena in nature using 3 main operators including selection, recombination, and mutation. Some well-known evolutionary algorithms are: Genetic Algorithm (GA) [11], Differential Evolution (DE) [12], Evolutionary Programming (EP) [13], Genetic Programming (GP) [14], Evolution Strategy (ES) [15], and Biogeography-Based Optimizer (BBO) [16], [17].

The second category includes Swarm Intelligence (SI) approaches, in which the source of information is the collective behaviours in nature. (e.g. birds, ants, bees, etc.). Particle Swarm Optimization (PSO) [18], [19] and Artificial Bee Colony (ABC) Algorithm [20] are of the most popular algorithms in this category. Other recently proposed algorithms in this family are Cuckoo Search Algorithm (CS) [21], [22], Krill Herd (KH) [23], [24], Fruit Fly Optimization (FFO)



FIGURE 1. Classification of meta-heuristic algorithms.

algorithm [25], Grey Wolf Optimizer (GWO) [26]–[28], Ant Lion Optimizer (ALO) [29], [30], Dragonfly Algorithm (DA) [31], [32], Bat Algorithm (BA) [33], [34], Whale Optimization Algorithm (WOA) [35], [36], Salp Swarm Algorithm (SSA) [37], [38], Crow Search Algorithm (CSA) [39], [40], Firefly Algorithm (FA) [41], [42], and Grasshopper Optimization Algorithm (GOA) [43].

In the third family, the source of inspiration is not nature but rather from actions related to humans. For example, Teaching Learning-Based Algorithm (TLBA) [44] mimics the teaching and learning process in classrooms, Imperialist Competitive Algorithm (ICA) [45] is inspired from imperialism in societies, and Harmony Search (HS) [46]–[48] is inspired from musical concepts.

The last family of meta-heuristics are Physics-based Algorithms (PA). For instance, Multi-Verse Optimizer (MVO) is inspired from some of the theories about multiple universes and Gravitational Search Algorithm (GSA) [49]–[51] mimics gravitational forces between masses. Other algorithms in this class are Central Force Optimization (CFO) [52]–[54], Water Evaporation Optimization (WEO) [55], Thermal Exchange Optimization (TEO) [56], Vibrating Particles System Algorithm (VPSA) [57], Optics Inspired Optimization (OIO) [58], Electromagnetic Field Optimization (EFO) [59], Big-Bang Big-Crunch (BBBC) [60], Henry Gas Solubility Optimization (HGSO) [61], Magnetic Charged System Search (MCSS) [62], and Arithmetic Optimization Algorithm (AOA) [63].

As discussed in the abstract, GOA is a recent Swarm Intelligence method inspired from the swarming behaviour of grasshoppers in nature. This algorithm was proposed by Saremi *et al.* in 2017 [43]. The literature shows that it has been employed to solve various optimization problems such as feature selection, scheduling, load frequency control, economic dispatch, engineering, etc. GOA is inspired by the foraging and swarming behavior of grasshoppers in nature and revealed its merits in the literature. In this context, this article proposes a review of GOA, its variants (modified, multi-objective, and hybrid versions), and its applications. We have reviewed a large number of publications coming from several leading publishers: IEEE, Springer, Elsevier, IET, Hindawi, and others. The following search keywords were used in Google Scholar:

- GOA.
- Grasshopper Optimization Algorithm
- Hybrid Grasshopper Optimization Algorithm
- Grasshopper Optimization meta-heuristics
- Improved Grasshopper Optimization Algorithm
- Grasshopper Optimization Algorithm applications
- Multi-objective Grasshopper Optimization Algorithm

To sift the large number of papers found, the following criteria were considered and used:

- Papers published in legitimate academic journals;
- Papers having more than 4 pages;
- Papers dated from 2017 to 2020
- Papers Written in English;

- Paper representing a complete version when several versions of the paper exist.

The statistics resulting from our study are shown in the figures below. Figure 2 presents the number of GOA related papers per scientific publishers where Elsevier and Springer are those who published the most about GOA. Figure 3 shows the number GOA related papers per year. We can see that GOA attracted a lot of interest over the last 4 years with a peak recorded in 2019. Table 1 represents the top 10 countries in terms of the number of the publication on the GOA algorithm. It can be seen that GOA has been the most popular in India and China. The Top 10 Journals ranked by the number of GOA publications are given in Table 2. Finally, Figure 4 shows the tag cloud of the top 10 GOA-related keywords. The 10 GOA co-cited articles are presented in Table 3.




FIGURE 2. Distribution of papers on GOA reviewed in this work based on their publishing vendors.




FIGURE 3. Distribution of papers on GOA reviewed in this work based on year of publication.

There is similar survey of GOA which analyzed over 50 research papers (in [64]). What makes this survey different

TABLE 1. Top 10 countries ranked by the number of GOA publications.

Country	Rank	Number of publications
India	1	54
China	2	33
Iran	3	16
Egypt	4	11
Saudi Arabia	5	4
Australia	6	3
Jordan	6	3
Turkey	6	3
Palestine	7	2
Chile	7	2

TABLE 2. Top 10 Journals ranked by the number of GOA publications.

Journals	Rank	Number of GOA publications
IEEE ACCESS	1	13
Expert Systems With Applications	2	5
Soft Computing	3	4
Neural Computing and Applications	4	3
Knowledge-Based Systems	5	2
Energy Conversion and Management	5	2
Multimedia Tools and Applications	5	2
Applied Intelligence	5	2
Energy	5	2
Electrical Engineering	5	2



FIGURE 4. A word cloud of the works we have summarized, reviewed, and analyzed in this paper.

TABLE 3. Top 10 GOA co-cited articles.

Studies	Rank	Number of citations
Saremi et al. [43]	1	803
Mafarja et al. [65]	2	197
Mirjalili et al. [66]	3	182
Mafarja et al. [67]	4	120
Zhang et al. [68]	5	119
Wu et al. [69]	6	114
Luo et al. [70]	7	105
Haidari et al. [71]	8	95
Aljarah et al. [72]	9	94
Barman et al. [73]	10	91

is the collection and analysis of more than 150 GOA articles published between 2017 and the beginning of 2021.

In the rest of this paper, Section 2 first provides the structure of GOA and its pseudo-code. Section 3 the provides an in-depth literature review of GOA’s variants and improvements. An extensive overview of GOA applications in various

fields is given in section 4. Section 5 provides results and comparisons of GAO with some well-known meta-heuristics. In section 6, GOA is discussed and some possible future research directions for this algorithm are presented. Finally, section 7 concludes the paper.

II. GRASSHOPPER OPTIMIZATION ALGORITHM

The GOA algorithm was proposed by Saremi *et al.* in [43], which is a recent and interesting swarm intelligence algorithm that mimics grasshoppers’ natural foraging and swarming behaviors. Grasshoppers are insects well-known as a dangerous pests that affect and damage crop production and agriculture [43], [74]. Their life cycle includes two phases called nymph and adulthood. The nymph phase is characterized by small steps and slow movements, while the adulthood phase is characterized by long-range and abrupt movements [43]. The movements of nymph and adulthood constitute the intensification and diversification phases of GOA. The swarming behavior of grasshoppers is mathematically modeled as follows [43]:

$$P_i = S_i + G_i + A_i \tag{1}$$

where P_i indicates the i -th grasshopper’ position, S_i is the social interaction between grasshoppers, G_i denotes the gravity force on the i -th grasshopper, and A_i is the wind advection. To produce a random behavior of grasshoppers, Equation 1 can be rewritten as follows:

$$P_i = r_1S_i + r_2G_i + r_3A_i \tag{2}$$

where r_1 , r_2 , and r_3 are random numbers in the range [0, 1]

The social interaction S_i is defined as follows:

$$S_i = \sum_{\substack{j=1 \\ j \neq i}}^N s(d_{ij})\hat{d}_{ij} \tag{3}$$

where N denotes the number of grasshoppers, $d_{ij} = |P_j - P_i|$ defines the Euclidean distance between the i -th and the j -th grasshopper, $\hat{d}_{ij} = \frac{P_j - P_i}{d_{ij}}$ is a unit vector from the i -th to the j -th grasshopper, and s represents the social forces designed by the following equation:

$$s(r) = f \exp^{-\frac{r}{l}} - \exp^{-r} \tag{4}$$

where f and l are the attraction intensity and attraction length scale, respectively. The social interaction between grasshoppers can be defined as attraction and repulsion. The distance is considered in the range [0,15]. The attraction increases in the interval of [2.079, 4] and then decreases gradually. The repulsion occurs in the range [0, 2.079]. When the distance between two grasshoppers is exactly 2.079, there is neither repulsion nor attraction (no force). This area is called comfort zone. Figure shows 5 the interaction between grasshoppers with respect to comfort area.

The gravity force G_i is given by the following equation:

$$G_i = -g\hat{e}_g \tag{5}$$




FIGURE 5. Interaction between grasshoppers with respect to comfort area [43].

where g denotes the gravitational constant and \hat{e}_g represents a unit vector toward the center of earth.

The wind advection A_i is given by the following equation:

$$A_i = u\hat{e}_w \quad (6)$$

where u represents the drift constant and \hat{e}_w is a unit vector in the wind direction.

After replacing the values of S , G , and A , the following equation can be obtained:

$$P_i = \sum_{\substack{j=1 \\ j \neq i}}^N s(|P_j - P_i|) \frac{P_j - P_i}{d_{ij}} - g\hat{e}_g + u\hat{e}_w \quad (7)$$

Equation 7 cannot be used directly to solve optimization problems, as the grasshoppers reach quickly the comfort zone and the swarm system does not converge to a target location [43], [75]. An enhanced version of this equation is given as:

$$P_i^d = c \left(\sum_{\substack{j=1 \\ j \neq i}}^N c \frac{ub_d - lb_d}{2} s(|P_j^d - P_i^d|) \frac{P_j - P_i}{d_{ij}} \right) + \hat{T}_d \quad (8)$$

where ub_d and lb_d represent the upper and lower bounds in the d -th dimension, respectively. \hat{T}_d denotes the best solution found so far in the d -th dimension space. Note that S is similar to S component in equation 1, G is equal to zero and A is always toward the best solution \hat{T}_d . The parameter c_1 is similar to inertia weight ω in PSO, loudness A_0 in BA, or \bar{a} in GWO [76]. It is used to reduce the grasshoppers movements around the target (food). Thus, it provides a good balance between intensification and diversification. The parameter c_2 is used to reduce the repulsion zone, attraction

zone, and comfort zone between grasshoppers correspondingly to the number of iterations. c_1 and c_2 are considered as a single parameter and it is expressed using the following equation [43]:

$$c = c_{max} - t \frac{c_{max} - c_{min}}{t_{max}} \quad (9)$$

where c_{max} and c_{min} represent the maximum and minimum values of c , respectively, t is the current iteration and t_{max} is the maximum number of iterations.

The position of a grasshopper is updated based on its current position, global best position, and the positions of other grasshoppers within the swarm. This helps GOA to avoid getting trapped in local optima.

The pseudo-code of the standard Grasshopper Optimization Algorithm is given in Algorithm 1 [43]. Its flowchart can be represented in Figure 6. The source code of GOA can be found in: <http://www.alimirjalili.com/GOA.html>.

Algorithm 1 The Pseudo-Code of the Grasshopper Optimization Algorithm

- 1: Generate the initial population of Grasshoppers $P_i(i = 1, 2, \dots, n)$ randomly
- 2: Initialize c_{min} , c_{max} and maximum number of iteration t_{max}
- 3: Evaluate the fitness $f(P_i)$ of each grasshopper P_i
- 4: T = the best solution
- 5: **while** ($t < t_{max}$) **do**
- 6: Update c_1 and c_2 using equation (9)
- 7: **for** $i = 1$ to N (all N grasshoppers in the population) **do**
- 8: Normalize the distance between grasshoppers in the range [1,4]
- 9: Update the position of the current grasshopper using equation (8)
- 10: Bring the current grasshopper back if it goes outside the boundaries
- 11: **end for**
- 12: Update T if there is a better solution
- 13: $t = t + 1$
- 14: **end while**
- 15: **Return** the best solution T

III. RECENT VARIANTS OF GRASSHOPPER OPTIMIZATION ALGORITHM

Different variants of original GOA categorized into modified and hybrid versions have been suggested in the literature as shown in Figure 7. The realized details of these versions are given in the following subsections.

A. MODIFIED VERSIONS OF GRASSHOPPER OPTIMIZATION ALGORITHM

A summary of some recent modified versions of GOA is given in Figure 8 and Table 4. The details of each modified version are provided below.




FIGURE 6. Flowchart of the Grasshopper Optimisation Algorithm.

1) BINARY GRASSHOPPER OPTIMIZATION ALGORITHM

Pinto et al. [77] developed a Binary GOA (BGOA) based on the percentile concept for solving the Multidimensional Knapsack Problem (MKP). The performance of BGOA was validated using OR-Library benchmarks MKP instances in comparison with Binary Artificial Algae Algorithm (BAAA) and K-Means Transition Ranking (KMTR). Test results showed competitive results of BGOA compared to BAAA and KMTR models.

In [78], a Binary GOA (BGOA) was proposed for tackling the Set Covering Problem (SCP). The percentile concept was




FIGURE 7. Variants of Grasshopper Optimisation Algorithm.

applied to obtain the binary version of GOA. Simulation results showed that BGOA improves significantly the accuracy and quality of the solutions in solving the SCP.

Hichem et al. [79] proposed a Novel Binary GOA (NBGOA) for solving the feature selection problem. The effectiveness of NBGOA was evaluated using 20 datasets with various sizes taken from the UCI datasets repository in comparison with five well-regarded optimization techniques in the feature selection field. Simulation results revealed that NBGOA achieves better results compared to the tested methods in terms of fitness function and average classification accuracy.

Mafarja et al. [67] proposed binary variants of GOA for tackling the feature selection problems. Two mechanisms were used to obtain the binary version of GOA. The first mechanism is based on Sigmoid transfer function (BGOA-S) and V-shaped transfer function (BGOA-V). While the second one is based on the mutation operator and best solution found so far (BGOA-M). These techniques were evaluated based on 25 standard UCI datasets in comparison with eight well-known approaches. It was demonstrated that BGOA-M outperforms BGOA-S, BGOA-V, and other existing optimization techniques.

2) CHAOTIC GRASSHOPPER OPTIMIZATION ALGORITHM

Saxena et al. [80] proposed ten variants of enhanced chaotic GOA (ECGOAs) for solving the three-bar truss design problem and frequency-modulated sound synthesis parameter




FIGURE 8. Modified versions of GOA.

estimation problem. Ten Chaotic maps were used to enhance the bridging mechanism of GOA and results showed that ECGOA with Singer map outperforms the standard GOA and other 9 variants of ECGOA.

Zhang *et al.* [81] proposed a chaotic GOA (LMGOA) based on Logistic Map for tackling the Multi-Area Economic Dispatching (MAED) problem. The effectiveness of LMGOA was validated in 3 different case studies compared to DE, EP, PSO, and ABC algorithms. Test results illustrated the superiority of LMGOA when compared with GOA and state-of-the-art techniques.

In [82], an enhanced chaotic GOA (ECGOA) based PID controller was proposed for automatic voltage regulator

system. The performance of ECGOA was validated in terms of transient response, robustness, stability, and error. Test results revealed the superiority of ECGOA compared to ABC, BBO, CS, GOA, BFOA, IKA, MBO, SCA, and FPA.

Arora and Anand [83] proposed a Chaotic GOA (CGOA) based on the integration of chaos theory into GOA for solving the global optimization problems. CGOA was evaluated using the thirteen most widely used benchmark functions. According to the experiments, CGOA gave optimal solutions compared to the original GOA. It is proved that the chaotic maps, especially circle map, provide a good balance between intensification/diversification and prevent the GOA from stagnating in local optima.

TABLE 4. Modified versions of GOA.

Variant	Name	Application	Author	Year
Binary GOA	BGOA	Multidimensional Knapsack Problem	Pinto et al. [77]	2018
	BGOA	Set covering problem	Crawford et al. [78]	2018
	NBGOA	Feature selection problem	Hichem et al. [79]	2019
	BGOA	Feature selection problem	Mafarja et al. [67]	2019
Chaotic GOA	ECGOAs	Three-bar truss design problem	Saxena et al. [80]	2018
	LMGOA	Multi-Area Economic Dispatching (MAED) problem	Zhang et al. [81]	2019
	ECGOA	Automatic Voltage Regulator System	Saravanan et al. [82]	2019
	CGOA	Global optimization problems	Arora and Anand [83]	2019
	CGOA	Generation and transmission expansion management	Suriya et al. [84]	2019
	SFECGOAs	CEC-2017 Benchmark functions	Saxena [85]	2019
	OLCGOA	Feature selection problem	Xu et al. [86]	2020
	ECGOAs ECAGOA	Protein Structure Prediction problem Intrusion detection problem	Saxena and Kumar [87] Dwivedi et al. [88]	2020 2020
Gaussian GOA	IGOA	Financial stress prediction problem	Luo et al. [70]	2018
	EGOA	Modeling multivariable systems	Li et al. [89]	2019
	PGOA	Feature selection and optimizing SVR parameters	Algamal et al. [90]	2020
Levy Flight GOA	LGOA	Visual tracking problem	Zhang et al. [91]	2019
	IGOA	Task scheduling problems	Zhao et al. [92]	2019
	AGOA	Optimal power flow (OPF) problem	Alhejji et al. [93]	2020
	MI-LFGOA	Spatial image steganalysis	Chhikar and Kumar [94]	2020
	LGOA	Parameter extraction of solar photo-voltaic models	Mokeddem [95]	2020
Dynamic GOA	GOA_EPD	Feature selection problem	Mafarja et al. [65]	2018
	DJGOA	Numeric optimization problems	Zhao et al. [96]	2019
	DQBGOA_MR	Feature selection problem	Wang et al. [97]	2020
Adaptive GOA	AGOA	Trajectory optimization problem	Wu et al. [69]	2017
	AGOA	Medical image security	Shankar et al. [101]	2018
	GHO	maximum power point tracking (MPPT) problem	Mansoor et al. [102]	2020
	self-adaptive GOA	Anomaly intrusion detection	Shukla [103]	2020
Fuzzy-Based GOA	Fuzzy GOA	optimum sizing and location of DGs	Gampa et al. [98]	2020
	GO-FLC	Maximum power point tracking (MPPT)	Bhukya and Nandiraju [99]	2020
	EGOA-FC	Cells segmentation in histopathological images	Tiwari and Jain [100]	2020
Opposition-Based GOA	OGO	Numerical optimization problems	Bairathi and Gopalani [104]	2018
	OBLGOA	benchmark optimization functions and engineering problems	Ewees et al. [105]	2018
	IGOA	Tuning the parameters of Takagi-Sugeno-Kang (TSK) model	Raeesi et al. [106]	2020
Multi-objective GOA	MOGOA	Robot Path Planning	Elmi and Efe [75]	2018
	MOGOA	Constrained and unconstrained problems	Tharwat et al. [76]	2018
	MOGOA	Multi-objective problems	Mirjalili et al. [66]	2018
	MOGOA	Optimal network distribution reconfiguration	Jahani et al. [107]	2019
	MOGOA	Optimal capacity planning of sustainable energy systems (SESs)	Bukar et al. [108]	2020
	MOGOA	Power system stability	Falehi [109]	2020
Improved GOA	LWSGOA	Energy management problem	Liu et al. [110]	2018
	MGOA	Optimal power flow (OPF)	Taher et al. [111]	2019
	GOFs	Feature selection problem	Zakeri and Hokmabadi [112]	2019
	PCA-GOA	Global optimization problems	Yue and Zhang [113]	2019
	OGO	Bin Packing Problem	Feng et al. [114]	2020
	IGOA	Numerical optimization problems	Mishra et al. [115]	2020
	Fractional-GOA	Sensor activation control in WSNs	Tanwar et al. [116]	2020
	IGOA-PCA	Short-term load forecasting	Salami et al. [117]	2020
	MOLGOA	Constrained and unconstrained problems	Zhou et al. [118]	2020

TABLE 4. (Continued.) Modified versions of GOA.

Variant	Name	Application	Author	Year
	Improved GOA	Predicting faults in airplane engines	Bala <i>et al.</i> [119]	2020
	Modified GOA	Autism Spectrum Disorder (ASD) detection	Goel <i>et al.</i> [120]	2020
	IGOA	Optimizing the parameters of power filter (HAPF)	Huang <i>et al.</i> [121]	2020

Suriya *et al.* [84] developed a chaotic GOA (CGOA) based on the incorporation of chaos theory in GOA for optimizing the results of the Generation and Transmission Expansion Plan (GTEP) model. The performance of CGOA was evaluated based on 32 generating units and results showed that CGOA outperforms other tested approaches in terms of peak load reductions and cost of the transmission network expansion.

Saxena [85] proposed eleven different variants of GOA (SFECGOAs) based on the integration of chaos theory and crossover operators into GOA. The robustness of SFECGOAs was validated based on the latest 29 Congress on Evolutionary Computation-2017 (CEC-2017). SFECGOAs were also applied for solving the Model Order Reduction (MOR), Protein Structure Prediction (PSP), and Frequency Modulated (FM) sound wave parameter synthesis problems. Experimental results demonstrated the superiority of SFECGOAs compared to the classical GOA and other state-of-the-art optimization algorithms.

An enhanced GOA (OLCGOA) was proposed by Xu *et al.* [86] for tackling the Feature Selection Problem (FSP). The effectiveness of OLCGOA was tested using 30 IEEE CEC2017 benchmark functions. It was also applied for solving the FSP. According to the experiments, OLCGOA can reach optimal solutions for solving benchmarking and feature selection problem.

Saxena and Kumar [87] proposed 10 enhanced chaotic GOA (ECGOAs) variants for tackling the protein structure prediction problem. The efficiency of ECGOAs was validated using artificial and real protein sequences. Test results revealed the effectiveness of the chaotic variants (ECGOA) compared to the original GOA.

Dwivedi *et al.* [88] suggested an enhanced model (ECAGO) based on chaotic adaptive GOA with Ensemble of Feature Selection (EFS) for tackling the intrusion detection problem. ECAGO was assessed using 3 datasets including ISCX 2012, CIC-IDS2017, and NSL-KDD. According to the experiments, ECAGO provided better performance comparing with state-of-the-art feature selection techniques in terms of accuracy, detection rate, and false alarm rate.

3) GAUSSIAN GRASSHOPPER OPTIMIZATION ALGORITHM

An improved GOA (IGOA) was proposed by Luo *et al.* [70] for solving the financial stress prediction problem. Three strategies including Gaussian mutation, opposition-based learning, and Levy-flight were introduced in GOA to provide a good balance between exploitation and exploration. IGOA was evaluated using datasets collected from some Japanese

financial statements from 1995 to 2009 compared to GA, FA, PSO, MFO, DE, SCA, and standard GOA. According to the experiments, IGOA provided good classification accuracy comparing with other existing approaches.

Li *et al.* [89] proposed an enhanced GOA (EGOA) for modeling multivariable systems with support vector regression. Gaussian mutation operator and coevolution strategy were introduced into GOA to enhance the search ability. Experimental results showed the effectiveness and superiority of EGOA compared to standard GOA, GA, PSO, and GSA.

Algamal *et al.* [90] suggested an improved GOA (PGOA) by adding Gaussian function into GOA for feature selection and optimizing SVR parameters. PGOA was tested and assessed using four chemical datasets taking into account three metrics: prediction, number of features, and computational time. According to the simulation, PGOA outperforms other nature-inspired algorithms such as PSO, FA, BA, WOA, and the standard GOA.

4) LEVY-FLIGHT GRASSHOPPER OPTIMIZATION ALGORITHM

Zhang *et al.* [91] developed an enhanced method (LGOA) based on the integration of Levy flight in GOA for visual tracking. The performance of LGOA was evaluated using 8 video sequences in comparison with PSO, CS, ALO, and the standard GOA. Experimental results showed the performance and effectiveness of LGOA compared to the classical GOA, PSO, CS, ALO algorithms.

In [92], an improved GOA (IGOA) was proposed for task scheduling problems. Levy flight mechanism, nonlinear comfort zone parameter, and random jumping strategy were introduced to improve the performance of GOA. IGOA was tested using 29 well-known benchmark functions in comparison with the basic GOA, PSO, DA, Opposition-Based Learning GOA (OBLGOA), WOA, and ALO. According to the results, IGOA obtains competitive results in comparison with the original GOA and other existing optimization algorithms.

Alhejji *et al.* [93] suggested an adaptive GOA (AGOA) by adding a Levy-flight distribution mechanism into the original GOA for tackling the optimal power flow (OPF) problem. The robustness of AGOA was verified using 26-bus and IEEE 30-bus systems as well as 57-bus system. According to the experiments, AGOA gave better results when compared with other optimization approaches reported in the literature.

Chhikar and Kumar [94] developed a Multi-Islands Levy-flight GOA model, named MI-LFGOA, for spatial image steganalysis. MI-LFGOA was tested using SPAM (686-D)

and SRM (34671-D) subsets taken from the BOSS base 1.01 image database. Test results revealed that MI-LFGOA gives promising solutions when comparing with other feature selection approaches.

Mokeddem [95] proposed an improved method (LGOA) by incorporating the Levy-flight mechanism into GOA for parameter extraction of solar photo-voltaic models. LGOA was assessed using Sharp ND-R250A5 module under irradiance and temperature conditions. According to the experiments, LGOA provided high accuracy and good performance compared to the original GOA.

5) DYNAMIC GRASSHOPPER OPTIMIZATION ALGORITHM

An enhanced GOA (GOA_EPD) based on the use of Evolutionary Population Dynamics (EPD) and selection operators was proposed by Mafarja *et al.* [65] for tackling the feature selection problems. GOA_EPD was evaluated based on 22 real benchmark datasets taken from the UCI machine learning repository. Comparative results and analysis showed the robustness of GOA_EPD comparing with GA, PSO, BGSA, BBA, and bGWO.

Zhao *et al.* [96] proposed a Dynamic Improved GOA (DJGOA) by integrating dynamic weight strategy and random jumping concept for tackling the single objective numeric optimization problem. DJGOA was evaluated using 13 benchmark functions in comparison with PSO, DA, and standard GOA. It was demonstrated that DJGOA gives better performance compared to the standard GOA, PSO, and DA.

Wang *et al.* [97] suggested a dynamic quantum binary GOA (DQBGOA_MR) based on quantum computing concept, mutual information strategy, and rough set mechanism for tackling the feature selection problem. DQBGOA_MR was tested using twenty UCI datasets by considering three metrics such as average classification accuracy, average feature subset size, and average fitness value. According to the extensive experiments, DQBGOA_MR provided better solutions comparing with other swarm intelligence techniques.

6) ADAPTIVE GRASSHOPPER OPTIMIZATION ALGORITHM

Wu *et al.* [69] proposed an adaptive GOA (AGOA) for optimizing the trajectory planning of solar-powered Unmanned Aerial Vehicles (SUAVs) in an urban environment. To enhance the performance of AGOA, natural selection, dynamic feedback, and democratic decision-making strategies were incorporated into GOA. Simulation results showed that AGOA gives better performance when compared with standard GOA, PSO, and GWO optimization algorithms.

Shankar *et al.* [101] proposed an adaptive GOA (AGOA) for medical image security with efficient optimal secret and public key. An adaptive process was used to enhance the high-security investigation of GOA.

Mansoor *et al.* [102] proposed an adaptive GOA (GHO) for solving the maximum power point tracking (MPPT) problem fast varying irradiance and partial shading conditions. An adaptive search and skip method were introduced. GHO was tested on five different cases of weather conditions in

comparison with Perturb and Observe (P&O), ABC, PSO, DA, PSO Gravitational Search (PSOGS), and CS algorithms.

Shukla [103] suggested a self-adaptive GOA by adding the concepts of mutation and perceptive into the original GOA for anomaly intrusion detection. To test the performance of self-adaptive GOA, three datasets such as NSL-KDD, CIC-IDS 2017, and AWID were used. According to the experiments, the self-adaptive GOA provided better results comparing with PSO, GA, DE, and ABC in terms of accuracy, detection rate, and false-positive rate.

7) FUZZY-BASED GRASSHOPPER OPTIMIZATION ALGORITHM

Gampa *et al.* [98] developed a Fuzzy GOA model, based on the hybridization of GOA with Fuzzy method for optimum sizing and location of distributed generations, shunt capacitors and electric vehicle charging stations. The performance of Fuzzy GOA was evaluated based on 51-bus and 69-bus distribution networks and results proved the performance and effectiveness of Fuzzy GOA compared to the conventional method, Fuzzy GA, and Fuzzy PSO.

Bhukya and Nandiraju [99] proposed GOA-based Fuzzy Logic Control (GO-FLC) for maximum power point tracking (MPPT). In this method, GOA was used to tune the membership functions (MFs) of FLC. It was demonstrated that the performance and robustness of GO-FLC comparing with other existing methods in terms of accuracy, reliability, and computation time.

Tiwari and Jain [100] suggested a combined model (EGOA-FC) by combining GOA with fuzzy clustering technique for cells segmentation in histopathological images. To test the efficiency of the EGOA-FC model, two histopathological images (i.e TNBC patients cancer and UCSB bio segmentation images datasets) were used in the simulation. According to the experiments, EGOA-FC showed good results compared to K-means and fuzzy c-means techniques in terms of aggregated Jaccard index value and F1-score.

8) OPPOSITION-BASED LEARNING GRASSHOPPER OPTIMIZATION ALGORITHM

Ewees *et al.* [105] proposed an enhanced version of GOA (OBLGOA) by integrating the OBL mechanism into GOA for tackling benchmark optimization functions and engineering problems. The effectiveness of OBLGOA was investigated based on twenty-three benchmark functions and four engineering problems in comparison with standard GOA, GA, BA, DE, DA, PSO, MFO, MVO, ALO, and SCA. Simulation results revealed that OBLGOA outperforms state-of-the-art optimization algorithms in terms of the performance measures.

Raeesi *et al.* [106] suggested an improved GOA (IGOA) by incorporating the opposition-based learning strategy into GOA for tuning the parameters of Takagi-Sugeno-Kang (TSK) model. The efficiency of IGOA was investigated using unimodal and multimodal test functions. According to the

experiments, IGOA gives better solutions compared to the original GOA.

9) MULTI-OBJECTIVE GRASSHOPPER OPTIMIZATION ALGORITHM

Elmi and Efe [75] proposed a multi-objective GOA (MOGOA) for robot path planning in static environments. MOGOA was investigated for optimizing several metrics such as path length, path cost, smoothness, and computational time.

Tharwat *et al.* [76] proposed a novel multi-objective GOA (MOGOA) for tackling constrained and unconstrained optimization problems. MOGOA was validated using 12 testing functions (6 unconstrained functions and 6 constrained functions) in comparison with MOPSO, MOALO, and NSGA-II. It was demonstrated that MOGOA gives competitive results when comparing with other optimization meta-heuristics.

In [66], a multi-objective GOA (MOGOA) was proposed for solving multi-objective problems. MOGOA was tested on ZDT and CEC2009 and compared to NSGA-II, MOPSO, MODA, and MOALO. It was demonstrated that MOGOA gives competitive results compared to other multi-objective optimization models by producing accurate Pareto optimal solutions.

Another multi-objective optimization technique (MOGOA) was proposed by Jahani *et al.* [107] for optimal network distribution reconfiguration. The effectiveness of MOGOA was approved based on 33-bus and 69-bus test systems. Test results demonstrated the efficiency and performance of MOGOA to find a Pareto set solution with high-quality results

10) OTHER IMPROVED GRASSHOPPER OPTIMIZATION ALGORITHM

Liu *et al.* [110] proposed a combined approach (LWSGOA) by combining GOA with Linear Weighted Sum (LWS) for solving the energy management problem. LWSGOA was validated by establishing an optimal model of three interconnected heat exchangers (EH) representing Multi-Integrated Energy System (MIES) as the case study. Experimental results proved the scalability and flexibility of LWSGOA by providing lower multi-carrier energy consumption costs, lower peak power, and heat demand for multi-IES compared to other existing methods.

Taher *et al.* [111] proposed a modified GOA (MGOA) by integrating the mutation process in the conventional GOA for tackling the optimal power flow (OPF) problem. MGOA was validated using standard IEEE 30-bus, IEEE 57-bus, and IEEE 118-bus test systems with 13 case studies in comparison with standard GOA, GA, TLBO, and PSO algorithms. It was demonstrated that MGOA gives better results compared to other well-regarded optimization approaches existing in the literature.

In the work of Zakeri and Hokmabadi [112], a real-valued GOA (GOFs) was proposed for tackling the feature selection

problem. GOFs was validated using 10 UCI datasets and compared with 12 well-regarded feature selection methods. The effectiveness of GOFs was proved compared with other optimization algorithms by achieving the highest classification accuracy in 7 out of 10 datasets.

Yue and Zhang [113] proposed an enhanced GOA (PCA-GOA) for global optimization problems. Principal Component Analysis (PCA) and novel inertia weight were incorporated into GOA to enhance its search space ability. In a similar work, Feng *et al.* [114] proposed an enhanced GOA (EGOA) for solving the Bin Packing Problem (BPP). Nonlinear convergence parameter, niche mechanism, and β -hill climbing were introduced to improve the convergence accuracy of GOA. Simulation results showed the efficiency and ability of EGOA to find optimal solutions in different problem sizes compared to the original GOA, DA, ALO, PSO, and OBLGOA algorithms. In a similar work, an improved GOA (IGOA) was proposed by Mishra *et al.* [115], in which random walk theory was leveraged to provide a balanced exploration and exploitation of the search space and avoid premature convergence into local optima.

Tanwar *et al.* [116] proposed a Fractional-GOA model by integrating the fractional calculus into GOA for sensor activation control in Wireless Sensor Networks (WSNs). Experimental results proved the effectiveness of Fractional-GOA comparing with other existing models by obtaining maximal energy, throughput, and alive nodes of 0.111, 0.85, and 11, respectively.

Bala *et al.* [119] suggested an improved GOA by incorporating the Echo State Network (ESN) strategy into GOA for predicting faults in airplane engines. The improved GOA was validated using time-series data collected from the GitHub repository with mean squared error (MSE) as an objective function. According to the experiments, the improved GOA provided accurate solutions comparing with CS, DE, PSO, BPSO, LSTM, ESN, Deep ESN, and the classical GOA.

Goel *et al.* [120] developed a modified GOA by combining GOA with the random forest approach for Autism Spectrum Disorder (ASD) detection. The modified GOA was validated using three ASD screening datasets of different age groups including children, adolescents, and adults. According to the experiments, the modified GOA provides better results when comparing with other state-of-the-art approaches by achieving an accuracy of 100% at all stages of life.

Huang *et al.* [121] suggested an improved GOA (IGOA) by adding the social interaction mechanism and learning strategy into GOA for optimizing the parameters of power filter (HAPF). IGOA was tested using numerical data of three cases of an industrial plant taking into account the parameters of capacitive reactance, inductive reactance, and controllable gain of the active filter. Test results revealed that IGOA provides promising performance when compared with previous optimization techniques.

The analysis of the proportion of published papers that propose a modified version of GOA reveals that most of them focus on improving GOA. In fact, as shown in Figure 9, 23% of approaches improve the performance of the original version of GOA. Chaotic version comes at the second position with a proportion of 17% of the total papers.




FIGURE 9. Proportions of papers having addressed the different modified versions of GOA.

B. HYBRIDIZED VERSIONS OF GRASSHOPPER OPTIMIZATION ALGORITHM

Various hybridization of GOA with other optimization algorithms such as meta-heuristic and machine learning can be found in the literature. Some of them are given in Figure 11 and Table 5. As shown in Figure 10, more than 50% of papers propose hybridization with metaheuristics and 26% of them use Neural Networks (NN) as machine learning technique. The following subsections discuss them in details.

1) HYBRIDIZATION WITH GENETIC ALGORITHM

Alphonsa and MohanaSundaram [122] suggested a hybrid optimization approach (GOAGA) by combining GOA with GA for securing medical data. The performance of GOAGA was examined in 3 different test cases in comparison with GA, ABC, PSO, FA, GSO, GMGW, GWOSEB, and the standard GOA. It was revealed that GOAGA gives better performance for the preservation of sensitive healthcare data compared to GA, ABC, PSO, FA, GSO, GMGW, GWOSEB, and the original GOA.

El-Shorbagy and El-Refaey [123] suggested a combined algorithm (hybrid-GOA-GA) by combining GOA with GA for tackling the non-linear equations system. Eight benchmarks of non-linear equations were used to validate and assess the efficiency of the hybrid-GOA-GA. According to the results, the hybrid-GOA-GA showed its competitiveness and superiority when comparing with other existing methods in terms of accuracy and computational cost.

2) HYBRIDIZATION WITH DIFFERENTIAL EVOLUTION ALGORITHM

In [124], a combined approach (GOA-jDE)integrating GOA with DE was proposed for solving the global optimization problems. GOA-jDE was assessed using 14 optimization test functions and results showed the feasibility of GOA-jDE compared to DE, GOA, Modified GOA (MGOA), PSO,




FIGURE 10. Proportions of papers having addressed the different hybridized versions of GOA.

and MVO in terms of convergence speed and calculation precision.

Li et al. [125] suggested a novel model (DE-GOA-KELM) by hybridizing GOA with DE and a kernel extreme learning machine (KELM) for color difference detection of dyed fabrics. DE-GOA-KELM was tested using four indicators (i.e average classification accuracy, best classification accuracy, worst classification accuracy, and standard deviation) in comparison with Eleven optimization models. According to the experiments, DE-GOA-KELM provided an impressive stability with an average classification accuracy of 98.89%.

3) HYBRIDIZATION WITH ARTIFICIAL BEE COLONY ALGORITHM

GOA and ABC was hybridized by Dahiya et al. [126]. The authors proposed node deployment, cluster leader selection, and optimal route selection in Wireless Sensor Networks (WSNs). HAGOA was examined using metrics such as sensor node lifetime, energy consumption, remaining energy, end to end delay, and maximum number of rounds in comparison with LEACH, ACO, PSO, ABC, ACOPSO, HABCS, and AGOA. It was demonstrated that HAGOA gives better performance compared to other optimization meta-heuristics.

4) HYBRIDIZATION WITH GREY WOLF OPTIMIZER

A hybrid method (GWGHA) based on hybridizing GWO with GOA was proposed by Teng et al. [127] for the Cycle Traffic Light Timing Optimization Problem (CTLTOP). The performance of GWGHA was validated based on data taken from Kaohsiung, Taiwan, Bahía Blanca, Argentina, and Malaga, Spain in comparison with PSO, SPSO2011, GWO, and GOA. In [144] a hybrid algorithm (GWO-GOA) was proposed by hybridizing GOA with GWO for tackling the text feature selection problem. GWO-GOA was assessed using eight datasets taking into account five metrics (i.e accuracy, sensitivity, specificity, precision, recall, and F-measure). According to the experiments, GWO-GOA showed better quality when comparing with GOA, GWO, and other techniques.

5) HYBRIDIZATION WITH BAT ALGORITHM

Yue and Zhang [128] suggested a hybrid model (BGOA) by hybridizing GOA with BA for solving global optimization problems. BGOA was assessed using 23 test benchmark test functions comparing with GA, BA, and the standard GOA.

TABLE 5. Hybrid versions of GOA.

Variant	Name	Application	Author	Year
GOA + GA	GOAGA	Cloud computing	Alphonsa and Mohana-Sundaram [122]	2019
	hybrid-GOA-GA	Non-linear equations system	El-Shorbagy and El-Refaey [123]	2020
GOA + SA	SGOA	Global optimization problems	Yu <i>et al.</i> [146]	2021
GOA + DE	GOA-jDE	Global optimization problems	Jia <i>et al.</i> [124]	2019
	DE-GOA-KELM	Color difference detection of dyed fabrics.	Li <i>et al.</i> [125]	2020
GOA + ABC	HAGOA	Node deployment and optimal route selection WSNs	Dahiya <i>et al.</i> [126]	2020
GOA + GWO	GWGHA	Cycle traffic light timing optimization problem	Teng <i>et al.</i> [127]	2019
GOA + BA	BGOA	Global optimization problems	Yue and Zhang [128]	2020
GOA + GSA	HGOA	Benchmark test functions	Guo <i>et al.</i> [129]	2020
GOA + CSO	SM-GNCSSOA	Feature selection problem	Bansal <i>et al.</i> [130]	2020
GOA + ALO	GOALO	Circular antenna array	Amaireh <i>et al.</i> [131]	2019
GOA + SSA	HAGOA	Unimodal and multimodal benchmark functions	Dahiya <i>et al.</i> [132]	2019
GOA + TLBO	TLGOA	Abrupt Motion Tracking	Zhang <i>et al.</i> [133]	2019
GOA + IWOA	IWGOA	Global optimization problems	Yue <i>et al.</i> [128]	2020
GOA + SVM	GOA-SVM	Optimization of SVM model parameters	Aljarah <i>et al.</i> [72]	2018
	GOA-SVM	Short-term load forecasting	Barman <i>et al.</i> [73]	2018
	GOA-SVM	Feature selection problem	Ibrahim <i>et al.</i> [135]	2019
	GOA-ImLSTM	Decision-making for Self-Driving Vehicles	Shi <i>et al.</i> [136]	2020
	GOA-MSVM	Fault identification accuracy of rotating machinery	Zhang <i>et al.</i> [137]	2020
	GOA-SVM	Power quality disturbances recognition	Motlagh and Foroud [138]	2021
GOA + SVR	GOA-SVR	Short term load forecasting	Barman and Choudhury [134]	2018
GOA + NN	GOA-RNN	Photovoltaic/wind energy hybrid pumping system	Rufus and Kalaivani [139]	2019
	GOAMLP	Classification of multi-layer perceptrons	Heidari <i>et al.</i> [71]	2019
	MFFNN	Load forecasting	Talaat <i>et al.</i> [140]	2020
	CGOA-NN	Forecasting iron ore price volatility	Ewees <i>et al.</i> [74]	2020
	GOAMLP	Intrusion detection system	Moghani <i>et al.</i> [141]	2020
	GORN	Boosting the speed the induction motor	Jape <i>et al.</i> [142]	2020
	DBN-GOA	Liver disease classification	Renukadevi and Karunakaran [143]	2020
	CGOA-ANN	Skin Color Segmentation	Razmjoo <i>et al.</i> [144]	2021

According to the experiments, BGOA provided better solutions compared to GA, BA, and GOA.

6) HYBRIDIZATION WITH GRAVITATIONAL SEARCH ALGORITHM

The GOA algorithm was hybridized with GSA by Guo *et al.* [129]. Gravity search and landmark operators were adopted to enhance the global search capability of GOA. Simulation results demonstrated that HGOA gives competitive results compared to GOA, PSO, SCA, MFO, SSA, and BA.

7) HYBRID GOA AND CAT SWARM OPTIMIZATION ALGORITHM

Bansal *et al.* [130] hybridized the binary variant of GOA known as Simple Matching Binary GOA (SM-BGOA) with a variant of Cat Swarm Optimization Algorithm known as NCSOA for feature selection and optimal design of

multi-layer perceptron. The effectiveness of SM-GNCSSOA was evaluated based on 10 data sets selected from the UCI repository and results showed the capability of SM-GNCSSOA for solving the optimal design of multi-layer perceptron problem in terms of classification accuracy

8) HYBRIDIZATION WITH ANT LION OPTIMIZATION ALGORITHM

One of the very first hybridization of ALO and GOA was proposed by Amaireh *et al.* [131]. The authors used the hybrid method in sidelobe-level (SLL) suppression for circular antenna array.

9) HYBRIDIZATION WITH SALP SWARM ALGORITHM

Dahiya *et al.* [132] combined GOA with SSA for discovering the global optimum in a given search space. The performance of HAGOA was assessed using unimodal and multimodal benchmark functions.




FIGURE 11. Hybrid versions of GOA.

10) HYBRIDIZATION WITH TEACHING-LEARNING-BASED OPTIMIZATION

Zhang *et al.* [133] combined Adaptive GOA with Teaching-Learning-Based Optimization (TLBO) algorithm (TLGOA) and utilizes it for abrupt motion tracking.

11) HYBRIDIZATION WITH INVASIVE WEED OPTIMIZATION ALGORITHM

Yue *et al.* [128] proposed a combined method (IWGOA) based on the hybridization of GOA with invasive weed optimization (IWO) for global optimization problems.

12) GRASSHOPPER OPTIMIZATION ALGORITHM WITH SUPPORT VECTOR MACHINE

Aljarah *et al.* [72] proposed a combined method (GOA-SVM) based on the hybridization of GOA with SVM for optimizing the parameters of SVM model and the location of the best features subset simultaneously. The efficiency of GOA-SVM was evaluated based on 18 low and high-dimensional benchmark datasets in comparison with 7 well-regarded algorithms. Another similar work was done by Barman *et al.* [73] and Ibrahim *et al.* [135].

Shi *et al.* [136] suggested an improved long short-term memory GOA (GOA-ImLSTM) by hybridizing GOA with SVM and LSTM for decision-making for Self-Driving Vehicles. GOA-ImLSTM was assessed using Vehicle trajectory data collected from Roads of Los Angeles and California. According to the experiments, GOA-ImLSTM enhanced the accuracy of solutions when compared with other decision-making techniques.

Zhang *et al.* [137] suggested a novel model (GOA-MSVM) by combining GOA with SVM for fault identification accuracy of rotating machinery. GOA-MSVM was assessed in two

case studies: rolling bearing faults and gear faults. According to the experiments, GOA-MSVM provided promising results compared to five other SVM-based approaches.

13) GRASSHOPPER OPTIMIZATION ALGORITHM WITH SUPPORT VECTOR REGRESSION

Barman and Choudhury [134] hybridized GOA and Support Vector Regression (SVR) for Short Term Load Forecasting (STLF) during periods with substantial weather changes in North-East India. The performance of GOA-SVR was evaluated based on the data of the load dispatch center of Assam state in 3 case studies under 3 typical weather conditions. Experimental results demonstrated that GOA-SVR outperforms the conventional methods in all cases.

14) GRASSHOPPER OPTIMIZATION ALGORITHM WITH NEURAL NETWORK

Talaat *et al.* [140] proposed a hybrid approach(MFFNN-GOA) based on the combination of multi-layer feed-forward neural network (MFFNN) and GOA for load forecasting. The effectiveness of MFFNN-GOA was tested based on different training functions taking into account three parameters: RMSE, MAE, and Mean Absolute Percentage Error (MAPE). The effectiveness of MFFNN-GOA method was demonstrated compared to MFFNN, MFFNN-GA, and MFFNN-GWO optimization methods.

Moghianian *et al.* [141] suggested a novel model (GOAML P) by combining GOA with multi-layer perceptron neural network for tackling the intrusion detection problem. KDD and UNSW datasets were used to validate the robustness of GOAML P. Experimental results demonstrated that GOAML P is more accurate and outperforms other existing

techniques such as RF, XGBooston, HHO, BWO, and ANN with BOA.

A hybrid model (GORNN) by combining GOA with RNN was proposed by Jape *et al.* [142] for boosting the speed of the induction motor. The viability and effectiveness of GORNN was validated using two scenarios: step demand torque with constant demand speed and ramp demand torque with constant demand speed. According to the experiments, GORNN provided good solutions when compared with other existing techniques.

Renukadevi and Karunakaran [143] proposed hybridized GOA with Deep Belief Network (DBN) for liver disease classification. The performance of DBN-GOA was evaluated based on real-time and open-source computed tomography (CT) image datasets. It was demonstrated that DBN-GOA provide 98%, 95.82%, 97.52%, 98.53% and 96.8% for the accuracy, sensitivity, specificity, precision, and F-1 score, respectively.

IV. APPLICATIONS OF GRASSHOPPER OPTIMIZATION ALGORITHM

GOA has been applied for tackling various optimization problems in different domains such as feature selection, load frequency control, distributed generation, scheduling, wind energy system, and economic dispatch. Table 6 provides some of the applications of GOA in continuous, constrained, and combinatorial optimization sub-fields. The details are provided below.

A. GOA FOR CONTINUOUS OPTIMIZATION

1) CLUSTERING

Łukasik *et al.* [147] used GOA for generating accurate data clusterings. GOA was validated using benchmark datasets based on real-world examples taken from the UCI machine learning repository. Test results revealed that GOA outperforms the standard K-means algorithm by obtaining high accuracy.

2) OPTIMAL LINEAR ANTENNA ARRAY

Amaireh *et al.* [149] employed GOA and Antlion optimization (ALO) for optimal design of Linear Antenna Arrays (LAA). GOA was tested on three different case studies: 10, 16, and 24 elements of linear antenna arrays in comparison with Taguchi Algorithm (TA), PSO, and BBO.

3) STABILIZATION OF POWER SYSTEMS

Sahu *et al.* [151] employed GOA for optimizing the parameters of Static Synchronous Series Compensator (SSSC) controller. The performance of GOA was assessed under a single-machine infinite bus system in three scenarios: nominal loading, light loading, and heavy loading.

Hekimoğlu [152] used GOA for optimizing the power system stabilizer (PSS) parameters with fractional-order proportional-integral-derivative (FOPID) controller. The performance of GAO was evaluated under three configurations

(light, nominal, and heavy loading cases). The merits of GOA in such problems was demonstrated in this study.

4) RECONFIGURABLE HF BROADBAND WHIP ANTENNA

Wang *et al.* [154] used GOA for solving the problems of low gain, low efficiency, and pattern warping in the high-frequency band of the existing 10-meter HF broadband whip antenna. Simulation results showed that GOA improves the gain and efficiency of antenna in low and high-frequency bands and avoids the problem of warping in antenna patterns.

5) HAND POSTURE ESTIMATION

Mirjalili *et al.* [155] estimated hand postures using the GOA algorithm. The effectiveness of GOA was evaluated using 20-Degree-of-Freedom (DoF) hand model and results showed the reliability of GOA to find a reasonable solution for the problem.

6) BLDC MOTOR DRIVE CONTROLLER

Potnuru and Tummala [156] applied GOA for Controlling a BrushLess Direct Current (BLDC) motor drive. The performance of GOA was validated using Integral Speed Error (ISE) as an objective function and results showed the effectiveness of GOA in reducing the speed error and the time of gain tuning.

7) OPTIMAL ESTIMATION OF SINGLE DIODE MODEL PARAMETERS

Montano *et al.* [157] used GOA for estimating the optimal Single Diode Model (SDM) parameters of a photo-voltaic (PV) module. GOA was tested using four different types of PV modules in comparison with GA and PSO algorithms.

8) GRID-CONNECTED WIND GENERATOR

Amin *et al.* [158] used GOA-based Proportional-Integral (PI) controller for optimizing and improving the grid-connected wind generator. The effectiveness of GOA was tested using wind speed data extracted from Zafarana wind farm in Egypt.

B. GOA FOR CONSTRAINED OPTIMIZATION

1) ECONOMIC DISPATCH PROBLEMS

Rajput *et al.* [159] used GOA for tackling the Economic Load Dispatch Problem (ELDP). The robustness of GOA was validated using 3 power generators test cases consisting of 6 generation units with loss, 13 generation units with valve point loading, and 38 generation units.

2) CONGESTION MANAGEMENT

Kaur and Kumar [160] used GOA for Congestion Management Problem (CMP) in a pool-based electricity market. The effectiveness of GOA was evaluated using IEEE 30 Bus system and results showed the performance of GOA compared to SA, PSO, and Random Search (RS) optimization algorithms.

TABLE 6. Applications of GOA.

Class	Problem	Research Works
Continuous Optimization	Clustering Digital Fractional Order Integrator Optimal Linear Antenna Array Automatic Voltage Regulator System Power System Stabilizer Reconfigurable HF Broadband Whip Antenna Hand Posture Estimation BLDC Motor Drive Controller Optimal Estimation of Single Diode Model Parameters Grid-Connected Wind Generator	Lukasik <i>et al.</i> [147] Guha <i>et al.</i> [148] Amaireh <i>et al.</i> [149] Hekimoğlu and Ekinci [150] Sahu <i>et al.</i> [151], Hekimoğlu [152], Nayak <i>et al.</i> [153] Wang <i>et al.</i> [154] Mirjalili <i>et al.</i> [155] Potnuru and Tummala [156] Montano <i>et al.</i> [157] Amin <i>et al.</i> [158]
Constrained Optimization	Economic Dispatch Problem Congestion Management Distributed Generator Optimal Reactive Power Planning Wind Energy System Optimal Distribution Network System Reconfiguration Optimal Snubber Spring FLood Routing Problem Optimal placement of multiple Optical Network Units Nonlinear constrained optimization problem Optimal Proton Exchange Membrane Fuel cells Stack Parameters Load frequency Control Smart Load Management System Ontology alignment problem Task assignment in cloud logistics Tuning the parameters of the PID controller hybrid microgrid system Channel assignment for cognitive radio networks Finite impulse response filter design Optimal short-term hydrothermal scheduling Antenna array synthesis problem	Rajput <i>et al.</i> [159] Kaur and Kumar [160] Asasi <i>et al.</i> [161], Shishupal and Manglani [162], Sambaiah and Jayabarathi [163], Elsayed <i>et al.</i> [164], Rani <i>et al.</i> [165], Sudabattula <i>et al.</i> [166] Juhari <i>et al.</i> [167] Fathy and El-baksawi [168] Hamour <i>et al.</i> [169] Neve <i>et al.</i> [170] Khalifeh <i>et al.</i> [171] Singh and Prakash [172] Xiang <i>et al.</i> [173] El-Fergany [174] Nosratabadi <i>et al.</i> [175], Lal <i>et al.</i> [176], Barik and Das [177], Annamraju and Nandiraju [178], Tripathy <i>et al.</i> [179], Talaat <i>et al.</i> [180] Lv and Peng [181] Xu <i>et al.</i> [182] Bhuyan <i>et al.</i> [183] Raju <i>et al.</i> [184] Dutta <i>et al.</i> [185] Zeng <i>et al.</i> [186] Chakravarthy <i>et al.</i> [187]
Combinatorial Optimization	Feature Selection Optimal Resource Allocation	Shukla and Kanungo [188] Vahidi and Rahmati [189]

3) DISTRIBUTED GENERATOR

Shishupal and Manglani [162] employed GOA for determining the optimal size and placement of shunt capacitors at suitable bus locations in radial distribution system. The performance of GOA was tested based on 15-bus radial distribution system with main feeder and four lateral feeders. According to the simulation, GOA gives better results compared to the Improved Harmony Algorithm (IHA) in minimizing the system loss and system cost of capacitor placement. Another similar work was done by Sambaiah and Jayabarathi [163], in which GOA was used for the optimal allocation of distributed generation in distribution networks.

4) OPTIMAL REACTIVE POWER PLANNING

Juhari *et al.* [167] applied GOA for tackling the reactive power planning problem. The robustness of GOA was evaluated based on the standard IEEE-30 bus test system with minimization of real power loss as an objective function. According to the simulation, GOA gives good results in minimizing the power transmission loss.

5) WIND ENERGY SYSTEM

Fathy and El-baksawi [168] used GOA to extract the maximum power from the wind energy system. The performance of GOA was evaluated using collected data for wind speed

in 4 different sites in northern Saudi Arabia (Qurayyat, Sakaka, Tabarjal, and Dumat Al-Jandal).

6) OPTIMAL DISTRIBUTION NETWORK SYSTEM RECONFIGURATION

Hamour *et al.* [169] used GOA for solving the Distribution Network System Reconfiguration (DNSR) to minimize the real power loss. GOA was tested on IEEE 33-bus radial distribution systems in comparisons with Enhanced GA (EGA), Selective PSO (SPSO), and Fuzzy Adaptation of EP (FEP). Simulation results demonstrated that GOA gives reasonable computing time and high performance when compared to other optimization methods.

7) OPTIMAL VARIATIONAL MODE DECOMPOSITION (VMD) PARAMETERS

Zhang *et al.* [68] proposed a parameter-adaptive VMD based on GOA for optimizing the Variational Mode Decomposition (VMD) parameters. The proposed adaptive VMD method was used for analyzing the vibration signals from rotating machinery. According to the experiments, the proposed method showed better results compared to the conventional fixed-parameter VMD method on this problem area.

8) OPTIMAL SNUBBER SPRING

Neve *et al.* [170] used GOA for optimizing the snubber spring for weight minimization in railway bogie. The

performance of GOA was validated according to bounds, loading, and boundary conditions and results showed the efficiency of GOA for solving real engineering design problems.

9) FLOOD ROUTING PROBLEM

Khalifeh *et al.* [171] used GOA for solving the non-linear Muskingum flood routing river problem. The performance of GOA was tested using time-series datasets of the outflow of the Kardeh River with minimizing the Sum of Squares of Residuals (SSQ) as the objective function.

10) OPTIMAL PROTON EXCHANGE MEMBRANE FUEL CELLS STACK PARAMETERS

El-Fergany [174] proposed a GOA-based method for optimizing the parameters of proton exchange membrane fuel cells (PEMFCs) stack. The performance of the GOA-based method was tested using four test studies.

11) OPTIMAL LOAD FREQUENCY CONTROL

Nosratabadi *et al.* [175] used GOA for optimizing the parameters of Predictive Functional Modified PID (PFMPID) controller LFC. The performance of GOA was validated using ITSE as objective function.

Lal *et al.* [176] proposed a GOA-based Fuzzy proportional-integral-derivative (PID) controller of LFC of multi-area interconnected microgrid power system. The efficiency of the proposed algorithm was validated taken into account 3 metrics such as minimum settling time, minimum undershoot, and overshoot.

Barik and Das [177] used GOA for optimal LFC of solar photovoltaic/biogas/biodiesel generator based isolated renewable microgrid. The effectiveness of GOA was evaluated in different scenarios of source and load variations by comparing it with GA, PSO, and GWO and results revealed its robustness and efficiency compared to the three studied algorithms.

Annamraju and Nandiraju [178] applied GOA for tuning the parameters of the PID controller for LFC of an autonomous two-area hybrid MicroGrid (MG). The robustness of GOA was tested using three critical scenarios in comparison with GA and Social-Spider Optimiser (SSO) algorithms.

12) SMART LOAD MANAGEMENT SYSTEM

Talaat *et al.* [180] employed GOA-based Under-Frequency Load Shedding (UFLS) for smart load management system. The performance of GOA was validated using IEEE 9-bus and 39-bus test systems in comparison with GA and PSO.

C. GOA FOR COMBINATORIAL OPTIMIZATION

1) FEATURE SELECTION

Shukla and Kanungo [188] used GOA based feature selection method for face identification in a Content-Based Image Retrieval (CBIR).

2) OPTIMAL RESOURCE ALLOCATION

Vahidi and Rahmati [189] used GOA for optimizing the resource allocation in a cloud computing environment. The effectiveness of GOA was evaluated using 3 sets of small-scale, 3 sets of medium-scale, and 2 sets of large-scale resource allocation standard examples in comparison with GA and SEIRA algorithms.

Yadav *et al.* [190] applied GOA for designing a digital finite impulse response (FIR) filters. The consistency of GOA was done using an absolute error difference objective function comparing with ABC, PSO, and CSA algorithms. According to the experiments, GOA obtains better solutions compared to ABC, PSO, and CSA approaches in terms of minimum stop-band ripple, minimum pass-band ripple, and higher attenuation in stop-band.

V. RESULTS AND COMPARISONS

In this section, the performance of the GOA algorithm is investigated, evaluated, and confirmed based on three sets of mathematical test functions (i.e. unimodal, multimodal, and composite). They are compared with some well-regarded optimization algorithms such as GA, PSO, FA, PFA, BA, and GSA. 30 search agents and 500 iterations are employed in the experiments. Results are normalized in the range of [0,1] for all the functions due to their different ranges/domains. The experimental results are provided in Table 7. Firstly, for unimodal test functions, it is clearly shown that GOA algorithm gives superior results on 5 out of 7 test functions (F1, F4, F5, F6, and F7). Due to the properties and characteristics of the unimodal functions, these results revealed that GOA has high exploitation ability and convergence. Secondly, according to Table 7, it can be observed that GOA provides better performance on 4 out of 6 multimodal test functions (F9, F11, F12, and F13). These results reveal the performance of GOA in preventing from local optima stagnation. Finally, GOA algorithm gives excellent results on 3 out of 6 composite test functions (F14, F16, and F18). It can be confirmed that GOA algorithm provides good balance between exploration and exploitation.

To confirm the significance of the results, Friedman statistical test is used and the results are given in Table 8. It is clearly observed that GOA algorithm obtains the first rank. These results revealed strongly the effectiveness and performance of GAO compared to other optimization algorithms.

VI. DISCUSSION AND FUTURE WORKS

As discussed above, GOA is a recent and popular optimization algorithm. The wide range of applications is an indication of its merits, and this algorithm benefits from high exploration and exploitation. Some of the advantages of this algorithm are listed in Table 9. However, GOA has some restrictions and disadvantages. It surely requires tuning, adaptation, and modification to solve new optimization problems.

Just like any other meta-heuristics, the performance of this algorithm substantially degrades proportional to the size of a problems (e.g. number of decision variables) due to the

TABLE 7. The average results for solving benchmark functions.

Function	GA	PSO	FA	PFA	BA	GSA	GOA
F1	0.4121	0.2391	0.1581	0.0329	0.9882	0.0002	0.0000
F2	0.0100	0.0097	0.0076	0.0131	1.0000	0.0000	0.0020
F3	0.2022	0.2613	0.0617	0.0000	1.0000	0.0328	0.0010
F4	0.7245	0.4767	0.3796	0.3219	0.9148	0.3244	0.0000
F5	0.0746	0.0386	0.0068	0.0060	1.0000	0.0000	0.0000
F6	0.1933	0.7786	0.0414	0.0088	1.0000	0.3825	0.0000
F7	0.4416	0.1349	0.0590	0.0386	1.0000	0.0226	0.0000
F8	0.0000	0.7425	0.6140	0.0381	0.0148	0.8473	1.0000
F9	1.0000	0.6520	0.8377	0.6568	0.7022	0.1361	0.0000
F10	0.8628	0.6140	0.7078	0.7170	0.9665	0.0000	0.0975
F11	0.1941	0.8184	0.0548	0.0124	0.9912	1.0000	0.0000
F12	1.0000	0.4689	0.2442	0.0237	0.6892	0.0577	0.0000
F13	0.4446	0.0973	0.1119	0.3766	1.0000	0.1603	0.0000
F14	0.3799	0.6083	0.5035	0.0008	1.0000	0.0840	0.0000
F15	0.1338	0.4236	0.5730	0.0000	1.0000	0.0672	0.4892
F16	0.6820	0.4651	0.4921	0.3381	1.0000	0.4799	0.0000
F17	0.3660	0.3241	0.3264	0.1395	1.0000	0.0000	0.8169
F18	0.1347	0.3122	0.3160	0.3249	1.0000	0.0581	0.0000
F19	0.0211	1.0000	0.7068	0.0000	0.9097	0.9391	0.7863

TABLE 8. The Friedman Statistical test.

Function	GA	PSO	FA	PFA	BA	GSA	GOA
F1	6	5	4	3	7	2	1
F2	5	4	3	6	7	1	2
F3	5	6	4	1	7	3	2
F4	6	5	4	2	7	3	1
F5	6	5	4	3	7	1	1
F6	4	6	3	2	7	5	1
F7	6	5	4	3	7	2	1
F8	1	5	4	3	2	6	7
F9	7	3	6	4	5	2	1
F10	6	3	4	5	7	1	2
F11	4	5	3	2	6	7	1
F12	7	5	4	2	6	3	1
F13	6	2	3	5	7	4	1
F14	4	6	5	1	7	3	1
F15	3	4	6	1	7	2	5
F16	6	3	5	2	7	4	1
F17	5	3	4	2	7	1	6
F18	3	4	5	6	7	2	1
F19	2	7	3	1	5	6	4
SUM	92	86	78	54	122	58	40
AVG	4.84	4.53	4.11	2.84	6.42	3.05	2.11
RANK	6	5	4	2	7	3	1

TABLE 9. Advantages and disadvantages of GOA.

Advantages	Disadvantages
- Strong capability of exploration the search space	- Premature convergence in some complex optimization techniques
- Simplicity, robustness, flexibility, and scalability	- Drawbacks in exploiting the search space
- Hybridization with other meta-heuristics and techniques	- No theoretical convergence property
- Reasonable execution time	
- Good solutions	
- Easy to implement	

premature convergence. To overcome that, many variants of GOA were proposed as summarized in Tables 4 and 5.

Some of the most interesting research directions around the GOA algorithm are as follows:

- Development of enhanced versions of GOA to handle some hard and challenging, large-scale optimization problems.
- Comparison of the robustness of GOA with other population-based algorithms such as AOA, CSA, FPA, KH, WEO, CFO, and CSO algorithms.
- Hybridization of GOA with other swarm intelligence algorithms like ACO, CS, PSO, FA, DA, CSA, and MFO to improve the balance between exploration/exploitation and prevent premature convergence.
- Application of GOA for handling other optimization problems in different domains such as Multicast Routing, Intrusion Detection, UAV planning, Image segmentation, Travel salesman, Virtual Machine Placement,

Photo-electronic detection, parameter calibration, and other real-world complex optimization problems.

VII. CONCLUSION

This work was an attempt to present, discuss, and analyze the state-of-the-art of the GOA algorithm. We started with first discussing the methodology of this survey. It was discussed that several relevant keywords were used and the best publications were selected using a number of criteria to ensure reviewing high-quality research outputs. Then, the inspirations and mathematical models of GOA were presented. The main part of this work was the discussion and criticism of variants, hybrids, and applications of the GOA in the literature. The application areas investigated were mainly feature selection, scheduling, distributed generation, economic dispatch, and flood routing.

Despite the success of GOA, several areas are worthy of exploration for future works. Firstly, The modification of the standard GOA requires more research. In addition to three main mechanism of swarming (an individual's position, social interaction, and gravity), alignment, separation, and cohesion can be used as well. Secondly, GOA variants by hybridizing GOA with other meta-heuristics and defining new operators and strategies to improve the exploitation and exploration of GOA are recommended. Finally, another interesting area for future research is the application of GOA to solve other practical optimization problems, especially complex, dynamic, and large scale optimization problems.

REFERENCES

- [1] S. Kirkpatrick, C. D. Gelatt, and M. P. Vecchi, "Optimization by simulated annealing," *Science*, vol. 220, no. 4598, pp. 671–680, 1983.
- [2] C. Voudouris and E. Tsang, "Guided local search and its application to the traveling salesman problem," *Eur. J. Oper. Res.*, vol. 113, no. 2, pp. 469–499, Mar. 1999.
- [3] N. Mladenović and P. Hansen, "Variable neighborhood search," *Comput. Oper. Res.*, vol. 24, no. 11, pp. 1097–1100, Nov. 1997.
- [4] H. R. Lourenço, O. C. Martin, and T. Stützle, "Iterated local search," in *Handbook of Metaheuristics* (International Series in Operations Research & Management Science), vol. 57, F. Glover and G. A. Kochenberger, Eds. Boston, MA, USA: Springer, 2003, doi: [10.1007/0-306-48056-5_11](https://doi.org/10.1007/0-306-48056-5_11).
- [5] H. H. Hoos and T. Stützle, *Stochastic Local Search: Foundations and Applications*. Amsterdam, The Netherlands: Elsevier, 2004.
- [6] F. Glover, "Tabu search for nonlinear and parametric optimization (with links to genetic algorithms)," *Discrete Appl. Math.*, vol. 49, nos. 1–3, pp. 231–255, Mar. 1994.
- [7] F. Glover and M. Laguna, "Tabu search," in *Handbook of Combinatorial Optimization*, D. Z. Du and P. M. Pardalos, Eds. Boston, MA, USA: Springer, 1998, doi: [10.1007/978-1-4613-0303-9_33](https://doi.org/10.1007/978-1-4613-0303-9_33).
- [8] T. A. Feo and M. G. C. Resende, "A probabilistic heuristic for a computationally difficult set covering problem," *Oper. Res. Lett.*, vol. 8, no. 2, pp. 67–71, Apr. 1989.
- [9] T. A. Feo and M. G. C. Resende, "Greedy randomized adaptive search procedures," *J. Global Optim.*, vol. 6, no. 2, pp. 109–133, Mar. 1995.
- [10] M. G. Resende and C. Ribeiro, "Greedy randomized adaptive search procedures (GRASP)," *AT&T Labs Res.*, vol. 98, no. 1, pp. 1–11, 1998.
- [11] J. H. Holland, "Genetic algorithms," *Sci. Amer.*, vol. 267, no. 1, pp. 66–73, 1992.
- [12] R. Storn and K. Price, "Differential evolution—A simple and efficient heuristic for global optimization over continuous spaces," *J. Global Optim.*, vol. 11, no. 4, pp. 341–359, 1997.
- [13] X. Yao, Y. Liu, and G. Lin, "Evolutionary programming made faster," *IEEE Trans. Evol. Comput.*, vol. 3, no. 2, pp. 82–102, Jul. 1999.
- [14] J. R. Koza, *Genetic Programming: On the Programming of Computers By Means of Natural Selection*, vol. 1. Cambridge, MA, USA: MIT Press, 1992.
- [15] H.-G. Beyer and H.-P. Schwefel, "Evolution strategies—A comprehensive introduction," *Natural Comput.*, vol. 1, no. 1, pp. 3–52, 2002.
- [16] D. Simon, "Biogeography-based optimization," *IEEE Trans. Evol. Comput.*, vol. 12, no. 6, pp. 702–713, Dec. 2008.
- [17] H. Ma, D. Simon, P. Siarry, Z. Yang, and M. Fei, "Biogeography-based optimization: A 10-year review," *IEEE Trans. Emerg. Topics Comput. Intell.*, vol. 1, no. 5, pp. 391–407, Oct. 2017.
- [18] R. Eberhart and J. Kennedy, "A new optimizer using particle swarm theory," in *Proc. 6th Int. Symp. Micro Mach. Hum. Sci.*, 1995, pp. 39–43.
- [19] J. Kennedy, "Particle swarm optimization," in *Proc. Conf. Encyclopedia Mach. Learn.*, 2010, pp. 760–766.
- [20] D. Karaboga and B. Basturk, "Artificial bee colony (ABC) optimization algorithm for solving constrained optimization problems," in *Foundations of Fuzzy Logic and Soft Computing* (Lecture Notes in Computer Science), vol. 4529, P. Melin, O. Castillo, L. T. Aguilar, J. Kacprzyk, and W. Pedrycz, Eds. Berlin, Germany: Springer, 2007, doi: [10.1007/978-3-540-72950-1_77](https://doi.org/10.1007/978-3-540-72950-1_77).
- [21] X.-S. Yang and S. Deb, "Cuckoo search via Lévy flights," in *Proc. World Congr. Nature Biologically Inspired Comput. (NaBIC)*, 2009, pp. 210–214.
- [22] M. Shehab, A. T. Khader, and M. A. Al-Betar, "A survey on applications and variants of the cuckoo search algorithm," *Appl. Soft Comput.*, vol. 61, pp. 1041–1059, Dec. 2017.
- [23] A. H. Gandomi and A. H. Alavi, "Krill herd: A new bio-inspired optimization algorithm," *Commun. Nonlinear Sci. Numer. Simul.*, vol. 17, no. 12, pp. 4831–4845, Dec. 2012.
- [24] G.-G. Wang, A. H. Gandomi, A. H. Alavi, and D. Gong, "A comprehensive review of krill herd algorithm: Variants, hybrids and applications," *Artif. Intell. Rev.*, vol. 51, no. 1, pp. 119–148, Jan. 2019.
- [25] W.-T. Pan, "A new fruit fly optimization algorithm: Taking the financial distress model as an example," *Knowl.-Based Syst.*, vol. 26, pp. 69–74, Feb. 2012.
- [26] S. Mirjalili, S. M. Mirjalili, and A. Lewis, "Grey wolf optimizer," *Adv. Eng. Softw.*, vol. 69, pp. 46–61, Mar. 2014.
- [27] H. Faris, I. Aljarah, M. A. Al-Betar, and S. Mirjalili, "Grey wolf optimizer: A review of recent variants and applications," *Neural Comput. Appl.*, vol. 30, no. 2, pp. 413–435, Jul. 2018.
- [28] N. M. Hatta, A. M. Zain, R. Sallehuddin, Z. Shayfull, and Y. Yusoff, "Recent studies on optimisation method of grey wolf optimiser (GWO): A review (2014–2017)," *Artif. Intell. Rev.*, vol. 52, no. 4, pp. 2651–2683, Dec. 2019.
- [29] S. Mirjalili, "The ant lion optimizer," *Adv. Eng. Softw.*, vol. 83, pp. 80–98, May 2015.
- [30] L. Abualigah, M. Shehab, M. Alshinwan, S. Mirjalili, and M. A. Elaziz, "Ant lion optimizer: A comprehensive survey of its variants and applications," *Arch. Comput. Methods Eng.*, vol. 3, pp. 1–20, Apr. 2020.
- [31] S. Mirjalili, "Dragonfly algorithm: A new meta-heuristic optimization technique for solving single-objective, discrete, and multi-objective problems," *Neural Comput. Appl.*, vol. 27, no. 4, pp. 1053–1073, May 2016.
- [32] Y. Meraihi, A. Ramdane-Cherif, D. Acheli, and M. Mahseur, "Dragonfly algorithm: A comprehensive review and applications," *Neural Comput. Appl.*, vol. 32, no. 21, pp. 16625–16646, Nov. 2020.
- [33] X. S. Yang, "A new metaheuristic bat-inspired algorithm," in *Nature Inspired Cooperative Strategies for Optimization* (Studies in Computational Intelligence), vol. 284, J. R. González, D. A. Pelta, C. Cruz, G. Terrazos, and N. Krasnogor, Eds. Berlin, Germany: Springer, 2010, doi: [10.1007/978-3-642-12538-6_6](https://doi.org/10.1007/978-3-642-12538-6_6).
- [34] X.-S. Yang, "Bat algorithm: Literature review and applications," 2013, *arXiv:1308.3900*. [Online]. Available: <http://arxiv.org/abs/1308.3900>
- [35] S. Mirjalili and A. Lewis, "The whale optimization algorithm," *Adv. Eng. Softw.*, vol. 95, pp. 51–67, May 2016.
- [36] F. S. Gharehchopogh and H. Gholizadeh, "A comprehensive survey: Whale optimization algorithm and its applications," *Swarm Evol. Comput.*, vol. 48, pp. 1–24, Aug. 2019.
- [37] S. Mirjalili, A. H. Gandomi, S. Z. Mirjalili, S. Saremi, H. Faris, and S. M. Mirjalili, "Salp swarm algorithm: A bio-inspired optimizer for engineering design problems," *Adv. Eng. Softw.*, vol. 114, pp. 163–191, Dec. 2017.
- [38] L. Abualigah, M. Shehab, M. Alshinwan, and H. Alabool, "Salp swarm algorithm: A comprehensive survey," *Neural Comput. Appl.*, vol. 29, pp. 1–21, Nov. 2019.

- [39] A. Askarzadeh, "A novel Metaheuristic method for solving constrained engineering optimization problems: Crow search algorithm," *Comput. Struct.*, vol. 169, pp. 1–12, Jun. 2016.
- [40] Y. Meraihi, A. B. Gabis, A. Ramdane-Cherif, and D. Acheli, "A comprehensive survey of crow search algorithm and its applications," *Artif. Intell. Rev.*, vol. 2020, pp. 1–48, Sep. 2020.
- [41] X. S. Yang, "Firefly algorithms for multimodal optimization," in *Stochastic Algorithms: Foundations and Applications* (Lecture Notes in Computer Science), vol. 5792, O. Watanabe and T. Zeugmann, Eds. Berlin, Germany: Springer, 2009, doi: [10.1007/978-3-642-04944-6_14](https://doi.org/10.1007/978-3-642-04944-6_14).
- [42] I. Fister, I. Fister, X.-S. Yang, and J. Brest, "A comprehensive review of firefly algorithms," *Swarm Evol. Comput.*, vol. 13, pp. 34–46, Dec. 2013.
- [43] S. Saremi, S. Mirjalili, and A. Lewis, "Grasshopper optimisation algorithm: Theory and application," *Adv. Eng. Softw.*, vol. 105, pp. 30–47, Mar. 2017.
- [44] R. V. Rao, V. J. Savsani, and D. P. Vakharia, "Teaching–learning-based optimization: A novel method for constrained mechanical design optimization problems," *Comput.-Aided Des.*, vol. 43, no. 3, pp. 303–315, Mar. 2011.
- [45] E. Atashpaz-Gargari and C. Lucas, "Imperialist competitive algorithm: An algorithm for optimization inspired by imperialistic competition," in *Proc. IEEE Congr. Evol. Comput.*, Sep. 2007, pp. 4661–4667.
- [46] Z. W. Geem, J. H. Kim, and G. V. Loganathan, "A new heuristic optimization algorithm: Harmony search," *Simulation*, vol. 76, no. 2, pp. 60–68, Feb. 2001.
- [47] D. Manjarres, I. Landa-Torres, S. Gil-Lopez, J. D. Ser, M. N. Bilbao, S. Salcedo-Sanz, and Z. W. Geem, "A survey on applications of the harmony search algorithm," *Eng. Appl. Artif. Intell.*, vol. 26, no. 8, pp. 1818–1831, 2013.
- [48] T. Zhang and Z. W. Geem, "Review of harmony search with respect to algorithm structure," *Swarm Evol. Comput.*, vol. 48, pp. 31–43, Aug. 2019.
- [49] E. Rashedi, H. Nezamabadi-Pour, and S. Saryazdi, "GSA: A gravitational search algorithm," *Inf. Sci.*, vol. 179, no. 13, pp. 2232–2248, Jun. 2009.
- [50] N. Siddique and H. Adeli, "Gravitational search algorithm and its variants," *Int. J. Pattern Recognit. Artif. Intell.*, vol. 30, no. 8, Sep. 2016, Art. no. 1639001.
- [51] E. Rashedi, E. Rashedi, and H. Nezamabadi-Pour, "A comprehensive survey on gravitational search algorithm," *Swarm Evol. Comput.*, vol. 41, pp. 141–158, Aug. 2018.
- [52] R. A. Formato, "Central force optimization," *Prog. Electromagn. Res.*, vol. 77, pp. 425–491, Aug. 2007.
- [53] R. A. Formato, "Central force optimization: A new nature inspired computational framework for multidimensional search and optimization," in *Nature Inspired Cooperative Strategies for Optimization* (Studies in Computational Intelligence), vol. 129, N. Krasnogor, G. Nicosia, M. Pavone, and D. Pelta, Eds. Berlin, Germany: Springer, 2008, doi: [10.1007/978-3-540-78987-1_21](https://doi.org/10.1007/978-3-540-78987-1_21).
- [54] R. A. Formato, "Central force optimization: A new deterministic gradient-like optimization metaheuristic," *Opsearch*, vol. 46, no. 1, pp. 25–51, Mar. 2009.
- [55] A. Kaveh and T. Bakhshpoori, "Water evaporation optimization: A novel physically inspired optimization algorithm," *Comput. Struct.*, vol. 167, pp. 69–85, Apr. 2016.
- [56] A. Kaveh and A. Dadras, "A novel meta-heuristic optimization algorithm: Thermal exchange optimization," *Adv. Eng. Softw.*, vol. 110, pp. 69–84, Aug. 2017.
- [57] A. Kaveh and M. I. Ghazaan, "A new meta-heuristic algorithm: Vibrating particles system," *Scientia Iranica. Trans. A, Civil Eng.*, vol. 24, no. 2, p. 551, 2017.
- [58] A. Husseinzadeh Kashan, "A new metaheuristic for optimization: Optics inspired optimization (OIO)," *Comput. Oper. Res.*, vol. 55, pp. 99–125, Mar. 2015.
- [59] H. Abedinpourshotorban, S. M. Shamsuddin, Z. Beheshti, and D. N. A. Jawawi, "Electromagnetic field optimization: A physics-inspired metaheuristic optimization algorithm," *Swarm Evol. Comput.*, vol. 26, pp. 8–22, Feb. 2016.
- [60] O. K. Erol and I. Eksin, "A new optimization method: Big bang–big crunch," *Adv. Eng. Softw.*, vol. 37, no. 2, pp. 106–111, 2006.
- [61] F. A. Hashim, E. H. Houssein, M. S. Mabrouk, W. Al-Atabany, and S. Mirjalili, "Henry gas solubility optimization: A novel physics-based algorithm," *Future Gener. Comput. Syst.*, vol. 101, pp. 646–667, Dec. 2019.
- [62] A. Kaveh, M. A. M. Share, and M. Moslehi, "Magnetic charged system search: A new meta-heuristic algorithm for optimization," *Acta Mech.*, vol. 224, no. 1, pp. 85–107, Jan. 2013.
- [63] L. Abualgah, A. Diabat, S. Mirjalili, M. A. Elaziz, and A. H. Gandomi, "The arithmetic optimization algorithm," *Comput. Methods Appl. Mech. Eng.*, vol. 376, Apr. 2020, Art. no. 113609.
- [64] L. Abualgah and A. Diabat, "A comprehensive survey of the grasshopper optimization algorithm: Results, variants, and applications," *Neural Comput. Appl.*, vol. 5, pp. 1–24, Jul. 2020.
- [65] M. Mafarja, I. Aljarah, A. A. Heidari, A. I. Hammouri, H. Faris, A. M. Al-Zoubi, and S. Mirjalili, "Evolutionary population dynamics and grasshopper optimization approaches for feature selection problems," *Knowl.-Based Syst.*, vol. 145, pp. 25–45, Apr. 2018.
- [66] S. Z. Mirjalili, S. Mirjalili, S. Saremi, H. Faris, and I. Aljarah, "Grasshopper optimization algorithm for multi-objective optimization problems," *Int. J. Speech Technol.*, vol. 48, no. 4, pp. 805–820, Apr. 2018.
- [67] M. Mafarja, I. Aljarah, H. Faris, A. I. Hammouri, A. M. Al-Zoubi, and S. Mirjalili, "Binary grasshopper optimisation algorithm approaches for feature selection problems," *Expert Syst. Appl.*, vol. 117, pp. 267–286, Mar. 2019.
- [68] X. Zhang, Q. Miao, H. Zhang, and L. Wang, "A parameter-adaptive VMD method based on grasshopper optimization algorithm to analyze vibration signals from rotating machinery," *Mech. Syst. Signal Process.*, vol. 108, pp. 58–72, Aug. 2018.
- [69] J. Wu, H. Wang, N. Li, P. Yao, Y. Huang, Z. Su, and Y. Yu, "Distributed trajectory optimization for multiple solar-powered UAVs target tracking in urban environment by adaptive grasshopper optimization algorithm," *Aerosp. Sci. Technol.*, vol. 70, pp. 497–510, Nov. 2017.
- [70] J. Luo, H. Chen, Q. Zhang, Y. Xu, H. Huang, and X. Zhao, "An improved grasshopper optimization algorithm with application to financial stress prediction," *Appl. Math. Model.*, vol. 64, pp. 654–668, Dec. 2018.
- [71] A. A. Heidari, H. Faris, I. Aljarah, and S. Mirjalili, "An efficient hybrid multilayer perceptron neural network with grasshopper optimization," *Soft Comput.*, vol. 23, no. 17, pp. 7941–7958, Sep. 2019.
- [72] I. Aljarah, A. M. Al-Zoubi, H. Faris, M. A. Hassonah, S. Mirjalili, and H. Saadeh, "Simultaneous feature selection and support vector machine optimization using the grasshopper optimization algorithm," *Cognit. Comput.*, vol. 10, no. 3, pp. 478–495, Jun. 2018.
- [73] M. Barman, N. B. D. Choudhury, and S. Sutradhar, "A regional hybrid GOA-SVM model based on similar day approach for short-term load forecasting in assam, india," *Energy*, vol. 145, pp. 710–720, Feb. 2018.
- [74] A. A. Ewees, M. A. Elaziz, Z. Alameer, H. Ye, and Z. Jianhua, "Improving multilayer perceptron neural network using chaotic grasshopper optimization algorithm to forecast iron ore price volatility," *Resour. Policy*, vol. 65, Mar. 2020, Art. no. 101555.
- [75] Z. Elmi and M. O. Efe, "Multi-objective grasshopper optimization algorithm for robot path planning in static environments," in *Proc. IEEE Int. Conf. Ind. Technol. (ICIT)*, Feb. 2018, pp. 244–249.
- [76] A. Tharwat, E. H. Houssein, M. M. Ahmed, A. E. Hassanien, and T. Gabel, "MOGOA algorithm for constrained and unconstrained multi-objective optimization problems," *Int. J. Speech Technol.*, vol. 48, no. 8, pp. 2268–2283, Aug. 2018.
- [77] H. Pinto, A. Peña, M. Valenzuela, and A. Fernández, "A binary grasshopper algorithm applied to the knapsack problem," in *Artificial Intelligence and Algorithms in Intelligent Systems* (Advances in Intelligent Systems and Computing), vol. 764, R. Silhavy, Ed. Cham, Switzerland: Springer, 2019, doi: [10.1007/978-3-319-91189-2_14](https://doi.org/10.1007/978-3-319-91189-2_14).
- [78] B. Crawford, R. Soto, A. Peña, and G. Astorga, "A binary grasshopper optimisation algorithm applied to the set covering problem," in *Cybernetics and Algorithms in Intelligent Systems* (Advances in Intelligent Systems and Computing), vol. 765, R. Silhavy, Ed. Cham, Switzerland: Springer, 2019, doi: [10.1007/978-3-319-91192-2_1](https://doi.org/10.1007/978-3-319-91192-2_1).
- [79] H. Hichem, M. Elkamel, M. Rafik, M. T. Mesaoud, and C. Ouahiba, "A new binary grasshopper optimization algorithm for feature selection problem," *J. King Saud Univ.-Comput. Inf. Sci.*, 2019. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1319157819308900>, doi: [10.1016/j.jksuci.2019.11.007](https://doi.org/10.1016/j.jksuci.2019.11.007).
- [80] A. Saxena, S. Shekawat, and R. Kumar, "Application and development of enhanced chaotic grasshopper optimization algorithms," *Model. Simul. Eng.*, vol. 2018, pp. 1–14, Dec. 2018.

- [81] P. Zhang, W. Ma, Y. Dong, and B. D. Rouyendegh, "Multi-area economic dispatching using improved grasshopper optimization algorithm," *Evolving Syst.*, vol. 2, pp. 1–11, Dec. 2019.
- [82] G. Saravanan, D. S. Kumar, A. M. Ibrahim, and C. Karthikeyan, "Enhanced chaotic grasshopper optimization algorithm based pid controller for automatic voltage regulator system," *Int. J. Recent Technol. Eng.*, vol. 8, no. 4, pp. 348–354, 2019.
- [83] S. Arora and P. Anand, "Chaotic grasshopper optimization algorithm for global optimization," *Neural Comput. Appl.*, vol. 31, no. 8, pp. 4385–4405, Aug. 2019.
- [84] P. Suriya, S. Subramanian, S. Ganesan, and M. Abirami, "Generation and transmission expansion management using grasshopper optimization algorithm," *Int. J. Eng. Bus. Manage.*, vol. 11, Jan. 2019, Art. no. 184797901881832.
- [85] A. Saxena, "A comprehensive study of chaos embedded bridging mechanisms and crossover operators for grasshopper optimisation algorithm," *Expert Syst. Appl.*, vol. 132, pp. 166–188, Oct. 2019.
- [86] Z. Xu, Z. Hu, A. A. Heidari, M. Wang, X. Zhao, H. Chen, and X. Cai, "Orthogonally-designed adapted grasshopper optimization: A comprehensive analysis," *Expert Syst. Appl.*, vol. 150, Jul. 2020, Art. no. 113282.
- [87] A. Saxena and R. Kumar, "Chaotic variants of grasshopper optimization algorithm and their application to protein structure prediction," in *Applied Nature-Inspired Computing: Algorithms and Case Studies* (Springer Tracts in Nature-Inspired Computing), N. Dey, A. Ashour, and S. Bhattacharyya, Eds. Singapore: Springer, 2020, doi: 10.1007/978-981-13-9263-4_7.
- [88] S. Dwivedi, M. Vardhan, and S. Tripathi, "An effect of chaos grasshopper optimization algorithm for protection of network infrastructure," *Comput. Netw.*, vol. 176, Jul. 2020, Art. no. 107251.
- [89] G. Li, N. Wang, and X. Liu, "Enhanced Grasshopper optimization algorithm for modeling multivariable systems with SVR," in *Proc. Chin. Control Conf. (CCC)*, Jul. 2019, pp. 1569–1574.
- [90] Z. Y. Algamal, M. K. Qasim, M. H. Lee, and H. T. M. Ali, "Improving grasshopper optimization algorithm for hyperparameters estimation and feature selection in support vector regression," *Chemometric Intell. Lab. Syst.*, vol. 208, Jan. 2021, Art. no. 104196.
- [91] H. Zhang, Z. Gao, J. Zhang, and G. Yang, "Visual tracking with levy flight grasshopper optimization algorithm," in *Pattern Recognition and Computer Vision* (Lecture Notes in Computer Science), vol. 11857, Z. Lin et al., Eds. Cham, Switzerland: Springer, 2019, doi: 10.1007/978-3-030-31654-9_19.
- [92] R. Zhao, H. Ni, H. Feng, Y. Song, and X. Zhu, "An improved grasshopper optimization algorithm for task scheduling problems," *Int. J. Innov. Comput., Inf. Control*, vol. 15, pp. 1967–1987, Oct. 2019.
- [93] A. Alhejji, M. E. Hussein, S. Kamel, and S. Alyami, "Optimal power flow solution with an embedded center-node unified power flow controller using an adaptive grasshopper optimization algorithm," *IEEE Access*, vol. 8, pp. 119020–119037, 2020.
- [94] S. Chhikara and R. Kumar, "MI-LFGOA: Multi-island Levy-flight based grasshopper optimization for spatial image steganalysis," *Multimedia Tools Appl.*, vol. 79, nos. 39–40, pp. 29723–29750, Oct. 2020.
- [95] D. Mokeddem, "Parameter extraction of solar photovoltaic models using enhanced Levy flight based grasshopper optimization algorithm," *J. Electr. Eng. Technol.*, pp. 1–9, 2020.
- [96] R. Zhao, H. Ni, H. Feng, and X. Zhu, "A dynamic weight grasshopper optimization algorithm with random jumping," in *Advances in Computer Communication and Computational Sciences* (Advances in Intelligent Systems and Computing), vol. 924, S. Bhatia, S. Tiwari, K. Mishra, and M. Trivedi, Eds. Singapore: Springer, 2019, doi: 10.1007/978-981-13-6861-5_35.
- [97] D. Wang, H. Chen, T. Li, J. Wan, and Y. Huang, "A novel quantum grasshopper optimization algorithm for feature selection," *Int. J. Approx. Reasoning*, vol. 127, pp. 33–53, Dec. 2020.
- [98] S. R. Gampa, K. Jasthi, P. Goli, D. Das, and R. C. Bansal, "Grasshopper optimization algorithm based two stage fuzzy multiobjective approach for optimum sizing and placement of distributed generations, shunt capacitors and electric vehicle charging stations," *J. Energy Storage*, vol. 27, Feb. 2020, Art. no. 101117.
- [99] L. Bhukya and S. Nandiraju, "A novel photovoltaic maximum power point tracking technique based on grasshopper optimized fuzzy logic approach," *Int. J. Hydrogen Energy*, vol. 45, no. 16, pp. 9416–9427, Mar. 2020.
- [100] V. Tiwari and S. Jain, "Histopathological cells segmentation using exponential grasshopper optimisation algorithm-based fuzzy clustering method," *Int. J. Intell. Inf. Database Syst.*, vol. 13, nos. 2–4, pp. 118–138, 2020.
- [101] K. Shankar, M. Elhoseny, E. D. Chelvi, S. K. Lakshmanaprabu, and W. Wu, "An efficient optimal key based chaos function for medical image security," *IEEE Access*, vol. 6, pp. 77145–77154, 2018.
- [102] M. Mansoor, A. F. Mirza, Q. Ling, and M. Y. Javed, "Novel grasshopper optimization based MPPT of PV systems for complex partial shading conditions," *Sol. Energy*, vol. 198, pp. 499–518, Mar. 2020.
- [103] A. K. Shukla, "Detection of anomaly intrusion utilizing self-adaptive grasshopper optimization algorithm," *Neural Comput. Appl.*, vol. 2, pp. 1–21, Nov. 2020.
- [104] D. Bairathi and D. Gopalani, "An improved opposition based grasshopper optimisation algorithm for numerical optimization," in *Intelligent Systems Design and Applications* (Advances in Intelligent Systems and Computing), vol. 941, A. Abraham, A. Cherukuri, P. Melin, and N. Gandhi, Eds. Cham, Switzerland: Springer, 2020, doi: 10.1007/978-3-030-16660-1_82.
- [105] A. A. Ewees, M. Abd Elaziz, and E. H. Houssein, "Improved grasshopper optimization algorithm using opposition-based learning," *Expert Syst. Appl.*, vol. 112, pp. 156–172, Dec. 2018.
- [106] F. Raeesi, B. F. Azar, H. Veladi, and S. Talatahari, "An inverse TSK model of MR damper for vibration control of nonlinear structures using an improved grasshopper optimization algorithm," *Structures*, vol. 26, pp. 406–416, Aug. 2020.
- [107] M. T. G. Jahani, P. Nazarian, A. Safari, and M. Haghifam, "Multi-objective grasshopper optimization algorithm based reconfiguration of distribution networks," *J. Oper. Autom. Power Eng.*, vol. 7, no. 2, pp. 148–156, 2019.
- [108] A. L. Bukar, C. W. Tan, L. K. Yiew, R. Ayop, and W.-S. Tan, "A rule-based energy management scheme for long-term optimal capacity planning of grid-independent microgrid optimized by multi-objective grasshopper optimization algorithm," *Energy Convers. Manage.*, vol. 221, Oct. 2020, Art. no. 113161.
- [109] A. D. Falehi, "Optimal robust disturbance observer based sliding mode controller using multi-objective grasshopper optimization algorithm to enhance power system stability," *J. Ambient Intell. Hum. Comput.*, vol. 11, pp. 5045–5063, Nov. 2020.
- [110] J. Liu, A. Wang, Y. Qu, and W. Wang, "Coordinated operation of multi-integrated energy system based on linear weighted sum and grasshopper optimization algorithm," *IEEE Access*, vol. 6, pp. 42186–42195, 2018.
- [111] M. A. Taher, S. Kamel, F. Jurado, and M. Ebeed, "Modified grasshopper optimization framework for optimal power flow solution," *Electr. Eng.*, vol. 101, no. 1, pp. 121–148, Apr. 2019.
- [112] A. Zakeri and A. Hokmabadi, "Efficient feature selection method using real-valued grasshopper optimization algorithm," *Expert Syst. Appl.*, vol. 119, pp. 61–72, Apr. 2019.
- [113] X. Yue and H. Zhang, "Grasshopper optimization algorithm with principal component analysis for global optimization," *J. Supercomput.*, vol. 76, pp. 5609–5635, Jul. 2019.
- [114] H. Feng, H. Ni, R. Zhao, and X. Zhu, "An enhanced grasshopper optimization algorithm to the bin packing problem," *J. Control Sci. Eng.*, vol. 2020, pp. 1–19, Mar. 2020.
- [115] P. Mishra, V. Goyal, and A. Shukla, "An improved grasshopper optimization algorithm for solving numerical optimization problems," in *Advances in Intelligent Computing and Communication* (Lecture Notes in Networks and Systems), vol. 109, M. Mohanty and S. Das, Eds. Singapore: Springer, 2020, doi: 10.1007/978-981-15-2774-6_22.
- [116] A. Tanwar, A. K. Sharma, and R. V. S. Pandey, "Fractional-grasshopper optimization algorithm for the sensor activation control in wireless sensor networks," *Wireless Pers. Commun.*, vol. 1, pp. 1–24, Mar. 2020.
- [117] M. Salami, F. M. Sobhani, and M. S. Ghazizadeh, "A hybrid short-term load forecasting model developed by factor and feature selection algorithms using improved grasshopper optimization algorithm and principal component analysis," *Electr. Eng.*, vol. 102, no. 1, pp. 437–460, Mar. 2020.
- [118] H. Zhou, Z. Ding, H. Peng, Z. Tang, G. Liang, H. Chen, C. Ma, and M. Wang, "An improved grasshopper optimizer for global tasks," *Complexity*, vol. 2020, Sep. 2020, Art. no. 4873501.
- [119] A. Bala, I. Ismail, R. Ibrahim, S. M. Sait, and D. Oliva, "An improved grasshopper optimization algorithm based echo state network for predicting faults in airplane engines," *IEEE Access*, vol. 8, pp. 159773–159789, 2020.

- [120] N. Goel, B. Grover, Anuj, D. Gupta, A. Khanna, and M. Sharma, "Modified grasshopper optimization algorithm for detection of autism spectrum disorder," *Phys. Commun.*, vol. 41, Aug. 2020, Art. no. 101115.
- [121] J. Huang, C. Li, Z. Cui, L. Zhang, and W. Dai, "An improved grasshopper optimization algorithm for optimizing hybrid active power filters' parameters," *IEEE Access*, vol. 8, pp. 137004–137018, 2020.
- [122] M. M. Annie Alphonsa and N. MohanaSundaram, "A reformed grasshopper optimization with genetic principle for securing medical data," *J. Inf. Secur. Appl.*, vol. 47, pp. 410–420, Aug. 2019.
- [123] M. A. El-Shorbagy and A. M. El-Refaey, "Hybridization of grasshopper optimization algorithm with genetic algorithm for solving system of non-linear equations," *IEEE Access*, vol. 8, pp. 220944–220961, 2020.
- [124] H. Jia, Y. Li, C. Lang, X. Peng, K. Sun, and J. Li, "Hybrid grasshopper optimization algorithm and differential evolution for global optimization," *J. Intell. Fuzzy Syst.*, vol. 37, no. 5, pp. 6899–6910, 2019.
- [125] J. Li, W. Shi, and D. Yang, "Color difference classification of dyed fabrics via a kernel extreme learning machine based on an improved grasshopper optimization algorithm," *Color Res. Appl.*, vol. 46, no. 2, pp. 388–401, Apr. 2021.
- [126] B. P. Dahiya, S. Rani, and P. Singh, "Lifetime improvement in wireless sensor networks using hybrid grasshopper meta-heuristic," in *Proc. ICRC*, in Lecture Notes in Electrical Engineering, vol. 597, P. Singh, A. Kar, Y. Singh, M. Kolekar, and S. Tanwar, Eds. Cham, Switzerland: Springer, 2020, doi: 10.1007/978-3-030-29407-6_23.
- [127] T.-C. Teng, M.-C. Chiang, and C.-S. Yang, "A hybrid algorithm based on GWO and GOA for cycle traffic light timing optimization," in *Proc. IEEE Int. Conf. Syst., Man Cybern. (SMC)*, Oct. 2019, pp. 774–779.
- [128] X. Yue, H. Zhang, and H. Yu, "A hybrid grasshopper optimization algorithm with invasive weed for global optimization," *IEEE Access*, vol. 8, pp. 5928–5960, 2020.
- [129] S. S. Guo, J. S. Wang, W. Xie, M. W. Guo, and L. F. Zhu, "Improved grasshopper algorithm based on gravity search operator and pigeon colony landmark operator," *IEEE Access*, vol. 8, pp. 22203–22224, 2020.
- [130] P. Bansal, S. Kumar, S. Pasrija, and S. Singh, "A hybrid grasshopper and new cat swarm optimization algorithm for feature selection and optimization of multi-layer perceptron," *Soft Comput.*, vol. 1, pp. 1–27, Mar. 2020.
- [131] A. A. Amaireh, A. S. Al-Zoubi, and N. I. Dib, "Sidelobe-level suppression for circular antenna array via new hybrid optimization algorithm based on antlion and grasshopper optimization algorithms," *Prog. Electromagn. Res. C*, vol. 93, pp. 49–63, 2019.
- [132] B. P. Dahiya, S. Rani, and P. Singh, "A hybrid artificial grasshopper optimization (HAGOA) meta-heuristic approach: A hybrid optimizer for discover the global optimum in given search space," *Int. J. Math., Eng. Manage. Sci.*, vol. 4, no. 2, pp. 471–488, Apr. 2019.
- [133] H. Zhang, Z. Gao, X. Ma, J. Zhang, and J. Zhang, "Hybridizing teaching-learning-based optimization with adaptive grasshopper optimization algorithm for abrupt motion tracking," *IEEE Access*, vol. 7, pp. 168575–168592, 2019.
- [134] M. Barman and N. B. Dev Choudhury, "Hybrid GOA-SVR technique for short term load forecasting during periods with substantial weather changes in North-East India," *Procedia Comput. Sci.*, vol. 143, pp. 124–132, Jan. 2018.
- [135] H. T. Ibrahim, W. J. Mazher, O. N. Ucan, and O. Bayat, "A grasshopper optimizer approach for feature selection and optimizing SVM parameters utilizing real biomedical data sets," *Neural Comput. Appl.*, vol. 31, no. 10, pp. 5965–5974, Oct. 2019.
- [136] Y. Shi, Y. Li, J. Fan, T. Wang, and T. Yin, "A novel network architecture of decision-making for self-driving vehicles based on long short-term memory and grasshopper optimization algorithm," *IEEE Access*, vol. 8, pp. 155429–155440, 2020.
- [137] J. Zhang, J. Zhang, M. Zhong, J. Zheng, and L. Yao, "A GOA-MSVM based strategy to achieve high fault identification accuracy for rotating machinery under different load conditions," *Measurement*, vol. 163, Oct. 2020, Art. no. 108067.
- [138] S. Z. T. Motlagh and A. A. Foroud, "Power quality disturbances recognition using adaptive chirp mode pursuit and grasshopper optimized support vector machines," *Measurement*, vol. 168, Jan. 2021, Art. no. 108461.
- [139] A. Ann Rufus and L. Kalavani, "A GOA-RNN controller for a stand-alone photovoltaic/wind energy hybrid-fed pumping system," *Soft Comput.*, vol. 23, no. 23, pp. 12255–12276, Dec. 2019.
- [140] M. Talaat, M. A. Farahat, N. Mansour, and A. Y. Hatata, "Load forecasting based on grasshopper optimization and a multilayer feed-forward neural network using regressive approach," *Energy*, vol. 196, Apr. 2020, Art. no. 117087.
- [141] S. Moghanian, F. B. Saravi, G. Javidi, and E. O. Sheybani, "GOAMLP: Network intrusion detection with multilayer perceptron and grasshopper optimization algorithm," *IEEE Access*, vol. 8, pp. 215202–215213, 2020.
- [142] V. M. Jape, H. M. Suryawanshi, and J. P. Modak, "An efficient grasshopper optimization with recurrent neural network controller-based induction motor to replace flywheel of the process machine," *Trans. Inst. Meas. Control*, vol. 43, no. 1, pp. 151–166, 2020.
- [143] T. Renukadevi and S. Karunakaran, "Optimizing deep belief network parameters using grasshopper algorithm for liver disease classification," *Int. J. Imag. Syst. Technol.*, vol. 30, no. 1, pp. 168–184, Mar. 2020.
- [144] N. Razmjoo, S. Razmjoo, Z. Vahedi, V. V. Estrela, and G. G. de Oliveira, "Skin color segmentation based on artificial neural network improved by a modified grasshopper optimization algorithm," in *Metaheuristics and Optimization in Computer and Electrical Engineering* (Lecture Notes in Electrical Engineering), vol. 696, N. Razmjoo, M. Ashourian, and Z. Foroozandeh, Eds. Cham, Switzerland: Springer, 2021, doi: 10.1007/978-3-030-56689-0_9.
- [145] R. Purushothaman, S. P. Rajagopalan, and G. Dhandapani, "Hybridizing gray wolf optimization (GWO) with grasshopper optimization algorithm (GOA) for text feature selection and clustering," *Appl. Soft Comput.*, vol. 96, Nov. 2020, Art. no. 106651.
- [146] C. Yu, M. Chen, K. Cheng, X. Zhao, C. Ma, F. Kuang, and H. Chen, "SGOA: Annealing-behaved grasshopper optimizer for global tasks," *Eng. with Comput.*, vol. 5, pp. 1–28, Jan. 2021.
- [147] S. Łukasik, P. A. Kowalski, M. Charytanowicz, and P. Kulczycki, "Data clustering with grasshopper optimization algorithm," in *Proc. Federated Comput. Sci. Inf. Syst.*, Sep. 2017, pp. 71–74.
- [148] D. Guha, P. K. Roy, and S. Banerjee, "Grasshopper optimization algorithm scaled fractional order PI-D controller applied to reduced order model of load frequency control system," *Int. J. Model. Simul.*, vol. 40, pp. 217–242, May 2019.
- [149] A. A. Amaireh, A. Alzoubi, and N. I. Dib, "Design of linear antenna arrays using antlion and grasshopper optimization algorithms," in *Proc. IEEE Jordan Conf. Appl. Electr. Eng. Comput. Technol. (AEECT)*, Oct. 2017, pp. 1–6.
- [150] B. Hekimoglu and S. Ekinci, "Grasshopper optimization algorithm for automatic voltage regulator system," in *Proc. 5th Int. Conf. Electr. Electron. Eng. (ICEEE)*, May 2018, pp. 152–156.
- [151] P. R. Sahu, P. K. Hota, and S. Panda, "Comparison of grasshopper and whale optimization algorithm for design of FACTS controller with power system stabilizer," in *Proc. 5th Int. Conf. Parallel, Distrib. Grid Comput. (PDGC)*, Dec. 2018, pp. 424–429.
- [152] B. Hekimoğlu, "Robust fractional order pid stabilizer design for multi-machine power system using grasshopper optimization algorithm," *J. Fac. Eng. Archit. Gazi Univ.*, vol. 35, no. 1, pp. 165–180, 2020.
- [153] P. C. Nayak, R. C. Prusty, and S. Panda, "Grasshopper optimisation algorithm of multistage $PD_F + (1+PI)$ controller for AGC with GDB and GRC nonlinearity of dispersed type power system," *Int. J. Ambient Energy*, vol. 3, pp. 1–13, Jan. 2020.
- [154] H. Wang, C. Liu, H. Wu, and X. Xie, "A novel frequency reconfigurable HF broadband whip antenna based on GOA optimization," *Prog. Electromagn. Res.*, vol. 87, pp. 11–21, Dec. 2019.
- [155] S. Saremi, S. Mirjalili, S. Mirjalili, and J. S. Dong, "Grasshopper optimization algorithm: Theory, literature review, and application in hand posture estimation," in *Nature-Inspired Optimizers* (Studies in Computational Intelligence), vol. 811, S. Mirjalili, J. S. Dong, and A. Lewis, Eds. Cham, Switzerland: Springer, 2020, doi: 10.1007/978-3-030-12127-3_7.
- [156] D. Potnuru and A. S. Tummala, "Implementation of grasshopper optimization algorithm for controlling a BLDC motor drive," in *Soft Computing in Data Analytics* (Advances in Intelligent Systems and Computing), vol. 758, J. Nayak, A. Abraham, B. Krishna, G. C. Sekhar, and A. Das, Eds. Singapore: Springer, 2019, doi: 10.1007/978-981-13-0514-6_37.
- [157] J. Montano, A. Tobón, J. Villegas, and M. Durango, "Grasshopper optimization algorithm for parameter estimation of photovoltaic modules based on the single diode model," *Int. J. Energy Environ. Eng.*, vol. 6, pp. 1–9, Feb. 2020.
- [158] M. N. Amin, M. A. Soliman, H. M. Hasanien, and A. Y. Abdelaziz, "Grasshopper optimization algorithm-based PI controller scheme for performance enhancement of a grid-connected wind generator," *J. Control, Autom. Electr. Syst.*, vol. 31, no. 2, pp. 393–401, Apr. 2020.

- [159] N. Rajput, V. Chaudhary, H. M. Dubey, and M. Pandit, "Optimal generation scheduling of thermal system using biologically inspired grasshopper algorithm," in *Proc. 2nd Int. Conf. Telecommun. Netw. (TEL-NET)*, Aug. 2017, pp. 1–6.
- [160] M. Kaur and E. R. Kumar, "Overloading of transmission lines management by using grasshopper optimization algorithm," *Int. J. Sci. Eng. Res.*, vol. 9, pp. 1086–1091, Mar. 2018.
- [161] M. Ahanch, M. S. Asasi, and M. S. Amiri, "A grasshopper optimization algorithm to solve optimal distribution system reconfiguration and distributed generation placement problem," in *Proc. IEEE 4th Int. Conf. Knowl.-Based Eng. Innov. (KBEI)*, Dec. 2017, pp. 659–666.
- [162] K. G. Shishupal and T. Manglani, "Voltage profile improvement in radial distribution system using grasshopper optimization algorithm," *Int. J. Recent Res. Rev.*, vol. 12, pp. 26–30, Dec. 2019.
- [163] K. S. Sambaiah and T. Jayabarathi, "A survey on load/power flow methods and DG allocation using grasshopper optimization algorithm in distribution networks," in *Soft Computing for Problem Solving (Advances in Intelligent Systems and Computing)*, vol. 1057, K. Das, J. Bansal, K. Deep, A. Nagar, P. Pathipooranam, and R. Naidu, Eds. Singapore: Springer, 2020, doi: [10.1007/978-981-15-0184-5_53](https://doi.org/10.1007/978-981-15-0184-5_53).
- [164] A. M. Elsayed, M. M. Mishref, and S. M. Farrag, "Optimal allocation and control of fixed and switched capacitor banks on distribution systems using grasshopper optimisation algorithm with power loss sensitivity and rough set theory," *IET Gener., Transmiss. Distrib.*, vol. 13, no. 17, pp. 3863–3878, Sep. 2019.
- [165] K. S. Rani, B. K. Saw, P. Achargee, and A. K. Bohre, "Optimal sizing and placement of renewable DGs using GOA considering seasonal variation of load and DGs," in *Proc. Int. Conf. Comput. Intell. Smart Power Syst. Sustain. Energy (CISPSSE)*, Jul. 2020, pp. 1–6.
- [166] S. K. Sudabattula, M. Kowsalya, and V. Suresh, "Simultaneous allocation of multiple distributed generators and shunt capacitor banks in radial distribution systems using grasshopper optimisation algorithm," *Int. J. Energy Technol. Policy*, vol. 16, nos. 5–6, pp. 563–586, 2020.
- [167] M. A. A. Juhari, N. R. H. Abdullah, I. H. Shanono, M. Mustafa, R. Samad, and D. Pebrianti, "Optimal placement of TCSC for reactive power planning using grasshopper optimization algorithm considering line outage (N-M)," in *Proc. 10th Nat. Tech. Seminar Underwater Syst. Technol.*, in Lecture Notes in Electrical Engineering, vol. 538, Z. M. Zain et al., Eds. Singapore: Springer, 2019, doi: [10.1007/978-981-13-3708-6_57](https://doi.org/10.1007/978-981-13-3708-6_57).
- [168] A. Fathy and O. El-baksawi, "Grasshopper optimization algorithm for extracting maximum power from wind turbine installed in Al-Jouf region," *J. Renew. Sustain. Energy*, vol. 11, no. 3, May 2019, Art. no. 033303.
- [169] H. Hamour, S. Kamel, H. Abdel-mawgoud, A. Korashy, and F. Jurado, "Distribution network reconfiguration using grasshopper optimization algorithm for power loss minimization," in *Proc. Int. Conf. Smart Energy Syst. Technol. (SEST)*, Sep. 2018, pp. 1–5.
- [170] A. G. Neve, G. M. Kakandikar, O. Kulkarni, and V. M. Nandedkar, "Optimization of railway bogie snubber spring with grasshopper algorithm," in *Data Engineering and Communication Technology (Advances in Intelligent Systems and Computing)*, vol. 1079, K. Raju, R. Senkerik, S. Lanka, and V. Rajagopal, Eds. Singapore: Springer, 2020, doi: [10.1007/978-981-15-1097-7_80](https://doi.org/10.1007/978-981-15-1097-7_80).
- [171] S. Khalifeh, K. Esmaili, S. Khodashenas, and S. Akbarifard, "Data on optimization of the non-linear Muskingum flood routing in Kardeh River using Goa algorithm," *Data Brief*, vol. 30, Jun. 2020, Art. no. 105398.
- [172] P. Singh and S. Prakash, "Optimizing multiple ONUs placement in fiber-wireless (FiWi) access network using grasshopper and harris hawks optimization algorithms," *Opt. Fiber Technol.*, vol. 60, Dec. 2020, Art. no. 102357.
- [173] X. Xiang, X. Ma, Y. Fang, W. Wu, and G. Zhang, "A novel hyperbolic time-delayed grey model with grasshopper optimization algorithm and its applications," *Ain Shams Eng. J.*, vol. 12, no. 1, pp. 865–874, Mar. 2021.
- [174] A. A. El-Fergany, "Electrical characterisation of proton exchange membrane fuel cells stack using grasshopper optimiser," *IET Renew. Power Gener.*, vol. 12, no. 1, pp. 9–17, Jan. 2018.
- [175] S. M. Nosratabadi, M. Bornapour, and M. A. Gharaei, "Grasshopper optimization algorithm for optimal load frequency control considering predictive functional modified PID controller in restructured multi-resource multi-area power system with redox flow battery units," *Control Eng. Pract.*, vol. 89, pp. 204–227, Aug. 2019.
- [176] D. K. Lal, A. K. Barisal, and M. Tripathy, "Load frequency control of multi area interconnected microgrid power system using grasshopper optimization algorithm optimized fuzzy pid controller," in *Proc. Recent Adv. Eng., Technol. Comput. Sci. (RAETCS)*, 2018, pp. 1–6.
- [177] A. K. Barik and D. C. Das, "Expeditious frequency control of solar photovoltaic/biogas/biodiesel generator based isolated renewable microgrid using grasshopper optimisation algorithm," *IET Renew. Power Gener.*, vol. 12, no. 14, pp. 1659–1667, Oct. 2018.
- [178] A. Annamraju and S. Nandiraju, "Frequency control in an autonomous two-area hybrid microgrid using grasshopper optimization based robust PID controller," in *Proc. 8th IEEE India Int. Conf. Power Electron. (IICPE)*, Dec. 2018, pp. 1–6.
- [179] D. Tripathy, S. Behera, and N. B. Dev Choudhury, "Implementation of grasshopper optimization algorithm based cascaded fuzzy PD-PI controller for frequency stability in a multi-area power system," *J. Interdiscipl. Math.*, vol. 23, no. 2, pp. 335–345, Feb. 2020.
- [180] M. Talaat, A. Y. Hatata, A. S. Alsayari, and A. Alblawi, "A smart load management system based on the grasshopper optimization algorithm using the under-frequency load shedding approach," *Energy*, vol. 190, Jan. 2020, Art. no. 116423.
- [181] Z. Lv and R. Peng, "A novel meta-matching approach for ontology alignment using grasshopper optimization," *Knowl.-Based Syst.*, vols. 201–202, Aug. 2020, Art. no. 106050.
- [182] L. Xu, Y. Tu, and Y. Zhang, "A grasshopper optimization-based approach for task assignment in cloud logistics," *Math. Problems Eng.*, vol. 2020, Apr. 2020, Art. no. 3298460.
- [183] M. Bhuyan, A. K. Barik, and D. C. Das, "GOA optimised frequency control of solar-thermal/sea-wave/biodiesel generator based interconnected hybrid microgrids with DC link," *Int. J. Sustain. Energy*, vol. 39, no. 7, pp. 615–633, 2020.
- [184] V. A. Raju, P. Srilatha, K. K. Anumandla, S. Patnaik, and A. V. Prabu, "Grasshopper algorithm based channel assignment for cognitive radio networks," *Mater. Today, Proc.*, 2020.
- [185] T. Dutta, R. M. Aich, S. Dhabal, and P. Venkateswaran, "Finite impulse response filter design using grasshopper optimization algorithm and implementation on FPGA," in *Proc. IEEE Appl. Signal Process. Conf. (ASPCON)*, Oct. 2020, pp. 313–317.
- [186] X. Zeng, A. T. Hamid, N. M. Kumar, U. Subramaniam, and D. J. Almkhles, "A grasshopper optimization algorithm for optimal short-term hydrothermal scheduling," *Energy Rep.*, vol. 7, pp. 314–323, Nov. 2021.
- [187] V. V. S. S. Chakravarthy, P. S. R. Chowdary, J. Anguera, D. Mokara, and S. C. Satapathy, "Pattern recovery in linear arrays using grasshopper optimization algorithm," in *Microelectronics, Electromagnetics and Telecommunications (Lecture Notes in Electrical Engineering)*, vol. 655, P. Chowdary, V. Chakravarthy, J. Anguera, S. Satapathy, and V. Bhateja, Eds. Singapore: Springer, 2021, doi: [10.1007/978-981-15-3828-5_78](https://doi.org/10.1007/978-981-15-3828-5_78).
- [188] A. K. Shukla and S. Kanungo, "An automated face retrieval system using grasshopper optimization algorithm-based feature selection method," in *Emerging Trends in Computing and Expert Technology (Lecture Notes on Data Engineering and Communications Technologies)*, vol. 35, D. Hemanth, V. Kumar, S. Malathi, O. Castillo, and B. Patrut, Eds. Cham, Switzerland: Springer, 2020, doi: [10.1007/978-3-030-32150-5_47](https://doi.org/10.1007/978-3-030-32150-5_47).
- [189] J. Vahidi and M. Rahmati, "Optimization of resource allocation in cloud computing by grasshopper optimization algorithm," in *Proc. 5th Conf. Knowl. Based Eng. Innov. (KBEI)*, Feb. 2019, pp. 839–844.
- [190] S. Yadav, R. Yadav, A. Kumar, and M. Kumar, "A novel approach for optimal design of digital FIR filter using grasshopper optimization algorithm," *ISA Trans.*, vol. 108, pp. 196–206, Feb. 2021.



YASSINE MERAIHI received the Ph.D. degree from the University of M'Hamed Bougara Boumerdes, Algeria, in 2017. He is currently an Associate Professor with the University of Boumerdes, Algeria. His research interests include QoS for wireless networks, routing in challenged networks, including WMSNs/VANETs, and applications of meta-heuristics to optimization problems.



ASMA BENMESSAOUD GABIS received the master's degree from the Ecole Nationale Supérieure d'Informatique, Algiers, Algeria, in 2010, where she is currently pursuing the Ph.D. degree with LMCS. Her research interests include network design and communication, application of AI, machine learning, and meta-heuristics for multi-objective optimization and performance evaluation.



AMAR RAMDANE-CHERIF received the Ph.D. degree from Pierre and Marie University, Paris, in 1998. Since 2000, he has been a Professor with the University of Versailles Saint-Quentin en Yvelines, France. His research interests include software architecture, dynamic architecture, architectural quality attributes, architectural styles, and design patterns.

...



SEYEDALI MIRJALILI (Senior Member, IEEE) is currently the Director of the Centre for Artificial Intelligence Research and Optimization, Torrens University Australia. He is internationally recognized for his advances in swarm intelligence and optimization, including the first set of algorithms from a synthetic intelligence standpoint—a radical departure from how natural systems are typically understood—and a systematic design framework to reliably benchmark, evaluate, and propose computationally cheap robust optimization algorithms. He has published over 200 publications with over 25,000 citations and an H-index of 55. As the most cited researcher in Robust Optimization, he is in the list of 1% highly-cited researchers and named as one of the most influential researchers in the world by Web of Science, since 2019. His research interests include robust optimization, engineering optimization, multi-objective optimization, swarm intelligence, evolutionary algorithms, and artificial neural networks. He is working on the application of multi-objective and robust meta-heuristic optimization techniques as well. He is an Associate Editor of several journals, including *Neurocomputing*, *Applied Soft Computing*, *Advances in Engineering Software*, *Applied Intelligence*, and IEEE ACCESS.